

## Pubblicazioni

Forti C, Shankar A, Singh A, Balestrazzi A, Prasad V, Macovei A. Hydropriming and biopriming improve *Medicago truncatula* seed germination and upregulate DNA repair and antioxidant genes. *Genes (Basel)* 2020; 11(3) pii: E242.

Macovei A, Pagano A, Cappuccio M, Gallotti L, Dondi D, De Sousa Araujo S, Fevereiro P, Balestrazzi A. A snapshot of the trehalose pathway during seed imbibition in *Medicago truncatula* reveals temporal- and stress-dependent shifts in gene expression patterns associated with metabolite changes. *Frontiers in Plant Science* 2019; 10: 1590.

Doria E, Pagano A, Ferreri C, Larocca AV, Macovei A, Araújo SS, Balestrazzi A. How does the seed pre-germinative metabolism fight against imbibition damage? Emerging roles of fatty acid cohort and antioxidant defence. *Frontiers in Plant Science* 2019; 10: 1505.

Bellato M, De Marchi D, Gualtieri C, Sauta E, Magni P, Macovei A, Pasotti L. A bioinformatics approach to explore microRNAs as tools to bridge pathways between plants and animals. Is DNA Damage Response (DDR) a potential target process? *Frontiers in Plant Science* 2019; 10: 1535.

Cimini S, Gualtieri C, Macovei A, Balestrazzi A, De Gara L, Locato V. Redox balance-DDR-miRNA triangle: relevance in genome stability and stress responses in plants. *Frontiers in Plant Science* 2019; 10: 989.

De Sousa Araujo S, Pagano A, Dondi D, Lazzaroni S, Pinela E, Macovei A, Balestrazzi A. Metabolic signatures of germination triggered by kinetin in *Medicago truncatula*. *Scientific Reports* 2019; 9: 10466.

Pagano A, de Sousa Araújo S, Macovei A, Dondi D, Lazzaroni S, Balestrazzi A. Metabolic and gene expression hallmarks of seed germination uncovered by sodium butyrate in *Medicago truncatula*. *Plant, Cell & Environment* 2019; 42: 259-269.

Macovei A, Sevilla NR, Cantos C, Jonson G, Slamet-Loedin I, Čermák T, Voytas D, Choi IR, Chadha-Mohanty P. Novel alleles of rice eIF4G generated by CRISPR/Cas9-targeted mutagenesis confer resistance to Rice tungro spherical virus. *Plant Biotechnology Journal* 2018; 16: 1918-1927.

Macovei A, Pagano A, Sabatini ME, Grandi S, Balestrazzi A. The human tyrosyl-DNA phosphodiesterase 1 (hTdp1) inhibitor NSC120686 as an exploratory tool to investigate plant Tdp1 genes. *Genes (Basel)* 2018; 9(4)pii:E186. (\*, corresponding author)

Macovei A, Faè M, Biggiogera M, de Sousa Araújo S, Carbonera D, Balestrazzi A. Ultrastructural and molecular analyses reveal enhanced nucleolar activity in *Medicago truncatula* cells overexpressing the MtTdp2α gene. *Frontiers in Plant Science* 2018; 9: 596.

Nikitaki Z, Holá M, Donà M, Pavlopoulou A, Michalopoulos I, Angelis KJ, Georgakilas AG, Macovei A, Balestrazzi A. Integrating plant and animal biology for the search of novel DNA damage biomarkers. *Mutation Research/Reviews in Mutation Research* 2018; 775: 21-38.

Sabatini ME, Pagano A, Araújo S, Balestrazzi A, Macovei A\*. The Tyrosyl-DNA phosphodiesterase 1β (Tdp1β) gene discloses an early response to abiotic stresses. *Genes (Basel)* 2017; 8(11)pii:E305.

Macovei A, Sahoo R, Faè M, Balestrazzi A, Carbonera D, Tuteja N. Overexpression of PDH45 and SUV3 helicases in rice leads to delayed leaf senescence-associated events. *Protoplasma*, 2017; 254:1103-1113

Macovei A, Pagano A, Leonetti P, Carbonera D, Balestrazzi A, Araújo S. Systems biology approaches to unveil the molecular players involved in the pre-germinative metabolism: implications on seed technology traits. *Plant Cell Reports*, 2016; doi: 10.1007/s00299-016-2060-5

Araújo S, Balestrazzi A, Faè M, Morano M, Carbonera D, Macovei A. MtTdp2α-overexpression boosts the growth phase of *Medicago truncatula* cell suspension and increases the expression of key genes involved in antioxidant response and genome stability. *Plant Cell, Tissue and Organ Culture*, 2016; 127: 675

Balestrazzi A, Achary VMM, Macovei A, Yoshiyama KO, Sakamoto AN. Editorial: Maintenance of genome integrity: DNA damage sensing, signaling, repair and replication in plants. *Frontiers in Plant Science* 2016; 6: 64. doi: 10.3389/fpls.2016.00064. eCollection 2016

Macovei A, Caser M, Donà M, Valassi A, Giovannini A, Carbonera D, Scariot V, Balestrazzi A. Prolonged cold storage affects pollen viability and germination along with hydrogen peroxide and nitric oxide content in *Rosa hybrida*. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 2016; 44: 6-10.

Paparella S, Tava A, Avato P, Biazzi E, Macovei A, Biggiogera M, Carbonera D, Balestrazzi A. Cell wall integrity, genotoxic injury and PCD dynamics in alfalfa saponin-treated white poplar cells highlight a complex link between molecule structure and activity. *Phytochemistry* 2015; 111:114-123.

Balestrazzi A, Donà M, Macovei A, Sabatini ME, Pagano A, Carbonera D. DNA repair and telomere maintenance during seed imbibition: correlation of transcriptional patterns. *Telomere and Telomerase* 2015; 2: e495.

Giovannini A, Macovei A, Donà M, Valassi A, Caser M, Mansuino A, Ghione GG, Carbonera D, Scariot V, Balestrazzi A. Pollen grain preservation at low temperatures in valuable commercial rose cultivars. *ISHS Acta Horticulturae* 2015; 1604: 63-66.

Macovei A, Garg B, Raikwar S, Balestrazzi A, Carbonera D, Buttafava A, Bremont JFJ, Gill SS, Tuteja N. Synergistic exposure of rice seeds to different doses of gamma-ray and salinity stress resulted in increased antioxidant enzyme activities and gene-specific modulation of TC-NER pathway. *Biomed Research International*, 2014; article ID 676934, 1-15. doi: 10.1155/2014/676934

Confalonieri M, Carelli M, Galimberti V, Macovei A, Panara F, Biggiogera M, Scotti C, Calderini O. Seed-specific expression of *AINTEGUMENTA* in *Medicago truncatula* led to the production of larger seeds and improved seed germination. *Plant Molecular Biology Reporter*, 2014; 32: 957-970.

Faè M, Balestrazzi A, Confalonieri M, Donà M, Macovei A, Valassi A, Giraffa G, Carbonera D. Copper-mediated genotoxic stress is attenuated by the overexpression of the DNA repair gene *MtTdp2a* (tyrosyl-DNA phosphodiesterase 2 alpha) in *Medicago truncatula* plants. *Plant Cell Reports*, 2014; 33: 1071-1080.

Confalonieri M, Faè M, Balestrazzi A, Donà M, Macovei A, Giraffa G, Carbonera D. Enhanced osmotic stress tolerance in *Medicago truncatula* plants overexpressing the DNA repair gene *MtTdp2a* (tyrosyl-DNA-phosphodiesterase 2). *Plant Cell Tissue and Organ Culture*, 2014; 116: 187-203.

Ventura L, Macovei A, Donà M, Paparella S, Buttafava A, Giovannini A, Carbonera D, Balestrazzi A. Genotoxic effects due to *in vitro* culture and H<sub>2</sub>O<sub>2</sub> treatments in *Petunia x hybrida* cells monitored through DNA diffusion assay, FPG-SCGE and gene expression profile analyses. *Acta Physiologiae Plantarum*, 2014; 36: 331-341.

Donà M, Ventura L, Balestrazzi A, Buttafava A, Carbonera D, Confalonieri M, Giraffa G, Macovei A. Dose-dependent reactive species accumulation and preferential double strand breaks repair are featured in the γ-ray response in *Medicago truncatula* cells. *Plant Molecular Biology Reporter*, 2014; 32: 129-141.

Macovei A, Tuteja N. Different expression of miRNAs targeting helicases in rice in response to low and high dose rate gamma-ray treatments. *Plant Signaling and Behavior*, 2013; 8: e25128.

Donà M, Ventura L, Macovei A, Confalonieri M, Savio M, Giovannini A, Carbonera D, Balestrazzi A. Gamma irradiation with different dose rates induces different DNA damage responses in *Petunia x hybrida* cells. *Journal of Plant Physiology*, 2013; 170: 780-787.

Vaid N, Macovei A, Tuteja N. Knights in action: lectin receptor-like kinases in plant development and stress responses. *Molecular Plant*, 2013; 6: 1405-1418.

Gill SS, Hasanuzzaman M, Nahar K, Macovei A, Tuteja N. Importance of nitric oxide in cadmium stress tolerance in crop plants. *Plant Physiology and Biochemistry*, 2013; 63: 254-261.

Donà M, Macovei A, Faè M, Carbonera D, Balestrazzi A. Plant hormone signaling and modulation of DNA repair under stressful conditions. *Plant Cell Reports*, 2013; 32: 1043-1052.

Donà M, Confalonieri M, Minio A, Biggiogera M, Buttafava A, Raimondi E, Delledonne M, Ventura L, Sabatini ME, Macovei A, Giraffa G, Carbonera D, Balestrazzi A. RNA-Seq analysis discloses early senescence and nucleolar dysfunction triggered by *Tdp1-alpha* depletion in *Medicago truncatula*. *Journal of Experimental Botany*, 2013; 64: 1941-1951.

Ventura L, Giovannini A, Savio M, Donà M, Macovei A, Buttafava A, Carbonera D, Balestrazzi A. Single Cell Gel Electrophoresis (Comet) assay with plants: research on DNA repair and ecogenotoxicity testing. *Chemosphere*, 2013; 92: 1-9.

Donà M, Balestrazzi A, Mondoni A, Rossi G, Ventura L, Buttafava A, Macovei A, Sabatini ME, Valassi A, Carbonera D. DNA profiling, telomere analysis and antioxidant properties as tools for monitoring *ex situ* seed longevity. *Annals of Botany*, 2013; 111: 987-98

Santos AR, Miguel AS, Macovei A, Maycock C, Balestrazzi A, Oliva A, Fevereiro P. CdSe/ZnS Quantum Dots trigger DNA repair and antioxidant enzyme systems in *Medicago sativa* cells in suspension culture. *BMC Biotechnology*, 2013; 13: 111.

Ventura L, Donà M, Macovei A, Carbonera D, Buttafava A, Mondoni A, Rossi G, Balestrazzi A. Understanding the molecular pathways associated with seed vigor: role of DNA repair mechanisms. *Plant Physiology and Biochemistry*, 2012; 60:196-206.

Macovei A, Tuteja N. microRNAs targeting DEAD-box helicases are involved in salinity stress response in rice (*Oryza sativa* L.). BMC Plant Biology, 2012; 12: 183.

Macovei A, Gill SS, Tuteja N. MicroRNAs as promising tools for improving stress tolerance in rice. Plant Signaling and Behavior, 2012; 7: 1296-301.

Macovei A, Vaid N, Tula S, Tuteja N. A new DEAD-box helicase ATP-binding protein (OsABP) from rice is responsive to abiotic stress. Plant Signaling and Behavior, 2012; 7: 1-6.

Macovei A, Donà M, Balestrazzi A, Ventura L, Nicoletti F, Giovannini A, Buttafava A, Langella R, Carbonera D. Novel markers of the antioxidant response in ornamental species. ISHS Acta Horticulturae, 2012; 937: 91-96.

Macovei A, Balestrazzi A, Confalonieri M, Faé M, Carbonera D. New insights on the barrel medic *MtOGG1* and *MtFPG* functions in relation to oxidative stress response *in planta* and during seed imbibition. Plant Physiology and Biochemistry, 2011; 49:1040-50.

Balestrazzi A, Confalonieri M, Macovei A, Donà M, Carbonera D. Genotoxic stress and DNA repair in plants: emerging functions and tools for improving crop productivity. Plant Cell Reports, 2011; 30: 287-295.

Balestrazzi A, Confalonieri M, Macovei A, Carbonera D. Seed imbibition in *Medicago truncatula* Gaertn.: expression profiles of DNA repair genes in relation to PEG-mediated stress. Journal of Plant Physiology, 2011; 169: 706-713.

Macovei A, Balestrazzi A, Confalonieri M, Buttafava A, Carbonera D. The *TFIIS* and *TFIIS-like* gene from *Medicago truncatula* are involved in oxidative stress response. Gene, 2011; 470: 20-30.

Balestrazzi A, Macovei A, Tava A, Avato P, Raimondi E, Carbonera D. Unraveling the response of plant cells to cytotoxic saponins. Role of metallothionein and nitric oxide. Plant Signaling and Behavior, 2011; 6: 1-4.

Balestrazzi A, Agoni V, Tava A, Avato P, Biazz E, Raimondi E, Macovei A, Carbonera D. Cell death induction and nitric oxide biosynthesis in white poplar (*Populus alba*) suspension cultures exposed to alfalfa saponins. Physiologia Plantarum, 2011; 3: 227-238.

Confalonieri M, Borghetti R, Macovei A, Testoni C, Carbonera D, Fevereiro MPS, Rommens C, Swords C, Piano E, Balestrazzi A. Backbone-free transformation of barrel medic (*Medicago truncatula*) with a *Medicago*-derived transfer DNA. Plant Cell Reports, 2010; 29: 1013-1021.

Macovei A, Balestrazzi A, Confalonieri M, Carbonera D. The *Tdp1* (Tyrosyl-DNA phosphodiesterase) gene family in barrel medic (*Medicago truncatula* Gaertn.): bioinformatic investigation and expression profiles in response to oxidative stress. Planta, 2010; 232: 393-407.

Macovei A, Ventura L, Donà M, Faè M, Balestrazzi A, Carbonera D. Effects of heavy metal treatments on metallothionein expression profiles in white poplar (*Populus alba* L.) cell suspension cultures. Analele Universitatii din Oradea-Fascicula Biologie, 2010; XVII: 274-279.

Balestrazzi A, Macovei A, Testoni C, Raimondi E, Donà M, Carbonera D. Nitric oxide biosynthesis in white poplar (*Populus alba* L.) suspension cultures challenged with heavy metals. Plant Stress, 2009; 3: 1-6.

