

- 1: Magni M, Buscemi G, Maita L, Peng L, Chan SY, Montecucco A, Delia D, Zannini L. "TSPYL2 is a novel regulator of SIRT1 and p300 activity in response to DNA damage" *Cell Death Differ* (2018) 2018 Jul 26. doi: 10.1038/s41418-018-0168-6.
- 2: Pignataro D, Francia S, Zanetta F, Brenna G, Brandini S, Olivieri A, Torroni A, Biamonti G, Montecucco A. "A missense MT-ND5 mutation in differentiated Parkinson Disease cytoplasmic hybrid induces ROS-dependent DNA Damage Response amplified by DROSHA". *Sci Rep.* (2017) Aug 25;7(1):9528. doi: 10.1038/s41598-017-09910-x.
- 3: Montecucco A, Biamonti G. Editorial: DNA and RNA Metabolism Meet at Chromatin to Control Genome Stability. *Front Genet.* (2016) Apr 27;7:67. doi: 10.3389/fgene.2016.00067.
- 4: Cremaschi P, Oliverio M, Leva V, Bione S, Carriero R, Mazzucco G, Palamidessi A, Scita G, Biamonti G, Montecucco A. Chronic replication Chronic replication problems impact cell morphology and adhesion of DNA ligase I defective cells. *PLoS One* (2015) Jul 7;10(7):e0130561. doi: 10.1371/journal.pone.0130561
- 5: Montecucco A, Zanetta F, Biamonti G. Molecular mechanisms of etoposide EXCLI Journal (2015) 14:95-108 ISSN 1611-2156
- 6: Biamonti G, Catillo M, Pignataro D, Montecucco A, Ghigna C. The alternative splicing side of cancer *Semin Cell Dev Biol.* (2014) Mar 18. pii: S1084-9521(14)00044-5. doi: 10.1016/j.semcd.2014.03.016
- 7: Cremaschi P, Rovida S, Sacchi L, Lisa A, Calvi F, Montecucco A, Biamonti G, Bione S, Sacchi G. Correlagenes: a new tool for the interpretation of the human transcriptome. *BMC Bioinformatics* (2014) 15(Suppl 1):S6
- 8: Montecucco A, Biamonti G. Pre-mRNA processing factors meet the DNA damage response. *Front. Genet.* (2013) 4:102. doi:10.3389/fgene.2013.00102
- 9: Leva V, Giuliano S, Baroni A, Camerini S, Crescenzi M, Lisa A, Biamonti G and Montecucco A Phosphorylation of SRSF1 is modulated by replicational stress *Nucleic Acids Res* (2012) Feb; 40(3):1106-1117.
- 10: Giuliano S, Iadarola P, Leva L, Montecucco A, Camerini S, Crescenzi M, Salvini R, Bardoni A. An insight into the proteome of 46BR.1G1 fibroblasts established from a patient affected by DNA ligase I-deficiency syndrome *Electrophoresis* (2012) Jan; 33(2): 307-315
- 11: Merlo S, Barillaro G, Carpignano F, Leva V, Montecucco A, Surdo S, Strambini LM, Mazzini G. Investigation of cell culturing on high aspect-ratio three-dimentional silicon microstructures *Journal of Selected Topics in Quantum Electronics* (2012) IEEE J Sel Top Quant 18:1215-1222.
- 12: Pajalunga D, Puggioni E M R, Mazzola A, Leva V, Montecucco A, Crescenzi M. DNA replication is intrinsically hindered in terminally differentiated myotubes. *PLoS ONE* (2010) 5 (7) e1159

- 13: Focarelli M L, Soza S, Mannini L, Paulis M, Montecucco A, Musio A. Claspin inhibition leads to fragile site expression. *Gene Chromosome Canc.* (2009) Sep 16;48(12):1083-1090.
- 14: Vago R, Leva L, Biamonti G, Montecucco A. DNA ligase I and Nbs1 proteins associate in a complex and colocalize at replication factories. *Cell Cycle* (2009) Aug 15;8(16):2600-7.
- 15: Soza S, Leva V, Vago R, Ferrari G, Mazzini G, Biamonti G, Montecucco A. DNA ligase I-deficiency leads to replication-dependent DNA damages and impacts cell morphology without blocking cell cycle progression. *Mol Cell Biol.* (2009) 29: 2032-2041
- 16: Rossi R, Pester J M, McDowell M, Soza S, Montecucco A, Lee-Fruman K. K. Identification of S6K2 as a centrosome-located kinase. *FEBS Lett.* (2007) 581:4058-4064
- 17: Montecucco A, Biamonti G. Cellular response to etoposide treatment. *Cancer Lett.* (2007) 252:9-18
- 18: Khobota A, Ferri F, Lolito L, Montecucco A, Rossi R, Capranico G. Opposite responses to  $\alpha$ -amanitin and camptothecin in transcribing chromatin. *J Mol Biol.* (2006) 357:127-138
- 19: Rossi R, Lidonnici MR, Soza S, Biamonti G, Montecucco A. The dispersal of replication proteins after etoposide treatment requires the cooperation of Nbs1 with the ATR-Chk1 pathway. *Cancer Res.* (2006) 66:1675-1683
- 20: Vitolo B, Lidonnici M R, Montecucco C, Montecucco A. A new monoclonal antibody against DNA ligase I is a suitable marker of cell proliferation in cultured cell and tissue section samples. *Eur J Histochem.* (2005) 49:349-354
- 21: Camarda G, Siepi F, Pajalunga D, Bernardini C, Rossi R, Montecucco A, Meccia E, Crescenzi M. A pRb-independent mechanism preserves the postmitotic state in terminally differentiated skeletal muscle cells. *J Cell Biol.* (2004) 167:417-423
- 22: Lidonnici M R, Rossi R, Mendoza-Maldonado R, Paolinelli R, Arcangeli C, Giacca M, Biamonti G, Montecucco A. Subnuclear distribution of the largest subunit of the human origin recognition complex during the cell cycle. *J Cell Sci.* (2004) 117: 5221-5231
- 23: Ferrari G, Rossi R, Arosio D, Vindigni A, Biamonti G, Montecucco A. Cell cycle-dependent phosphorylation of human DNA ligase I at CDK sites. *J Biol Chem.* (2003) 278:37761-37767
- 24: Frouin I, Montecucco A, Spadari S, Maga G. DNA replication: a complex matter. *EMBO Rep.* (2003) 4: 666-670.

- 25: Biamonti G, Paixao S, Montecucco A, Peverali A P, Riva S, Falaschi A. Is DNA sequence sufficient to specify DNA replication origins in metazoan cells? *Chromosome Res.* (2003) 5: 403-412.
- 26: Frouin I, Montecucco A, Biamonti G, Hubscher U, Spadari S, Maga G. Cell cycle-dependent dynamic association of cyclin/cdk complexes with human DNA replication proteins. *EMBO J.* (2002) 21: 1-10.
- 27: Rossi R, Montecucco A, Donzelli M, Denegri M, Biamonti G, Scovassi A I Dephosphorylation of DNA ligase I during the execution step of etoposide-induced apoptosis. *Cell Death Differ.* (2002) 9: 89-90.
- 28: Montecucco A, Rossi R, Ferrari G, Scovassi A I, Prosperi E, Biamonti G. Etoposide induces the dispersal of DNA ligase I from replication factories. *Mol Biol Cell.* (2001) 12: 2109-2118.
- 29: Rossi R, Villa A, Ciarrocchi G, Negri C, Scovassi I, Biamonti G, Montecucco A. The Replication Factory Targeting Sequence/PCNA binding is required in G1 to control the phosphorylation status of DNA Ligase I. *EMBO J.* (1999) 18: 5745-5754.
- 30: Zanassi P, Paolillo M, Montecucco A, Avvedimento E V, Schinelli S. Pharmacological and molecular evidence for Dopamin D1 receptor expression by striatal astrocytes in culture. *J Neurosci Res.* (1999) 58: 544-552.
- 31: Verri A, Montecucco A, Gosselin G, Boudou V, Spadari S, Focher F. Interaction of beta-L-adenosine-5'-triphosphate (L-ATP) with human deoxycytidine kinase, human DNA primase and T4 DNA ligase: does the chance direct enzymatic enantioselectivity? *Nucleosides & Nucleotides* (1999) 18: 867-869.
- 32: Verri A, Montecucco A, Gosselin G, Boudou V, Imbach J-L, Spadari S, Focher F. L-ATP is recognised by some cellular and viral enzymes: does the chance drive enzymatic enantioselectivity? *Biochem J.* (1999) 337: 585-590
- 33: Paolillo M, Montecucco A, Zanassi P, Schinelli S. Potentiation of dopamine-induced cAMP formation by group I metabotropic glutamate receptors via protein kinase C in cultured striatal neurons. *Eur J Neurosci.* (1998) 10: 1937-1945
- 34: Montecucco A, Rossi R., Levin D S, Gary R, Park M S, Motycka T A, Ciarrocchi G, Villa A, Biamonti G, Tomkinson A E. DNA ligase I is recruited to sites of DNA replication by an interaction with proliferating cell nuclear antigen: identification of a common targeting mechanism for the assembly of replication factories. *EMBO J.* (1998) 17: 3786-3795
- 35: Rossi R, Montecucco A, Ciarrocchi G, Biamonti G. Functional characterization of the T4 DNA ligase: a new insight into the mechanism of action. *Nucleic Acids Res.* (1997) 25 2106-2113.
- 36: Rossi R, Montecucco A, Capolongo L, Mezzina M, Chevallier-Lagente O, Sarasin A, Ciarrocchi G. The alkylating antitumor drug Tallimustine does not induce DNA repair. *Anticancer Res.* (1996) 16 3779-3784.

- 37: Montecucco A, Savini E, Weighardt F, Rossi R, Ciarrocchi G, Villa A, Biamonti G. The N-terminal domain of human DNA ligase I contains the nuclear localisation signal and directs the enzyme to sites of DNA replication. *EMBO J.* (1995) 14 5379-5386.
- 38: Gallina A, Rossi F, Milanesi G, Rossi R, Montecucco A, Ciarrocchi G. Characterisation of human DNA ligase I expressed in a baculovirus-insect system *Biochem J.* (1995) 312 593-597
- 39: Gariboldi M, Montecucco A, Columbano A, Ledda-Columbano G M, Savini E, Manenti G, Pierotti M, Dragani T. Genetic mapping and expression analysis of the murine DNA ligase I gene. *Mol Carcinogen.* (1995) 14 71-74
- 40: Montecucco A, Savini E, Biamonti G, Stefanini M, Focher F, Ciarrocchi G. Late induction of human DNA ligase I after UV-C irradiation. *Nucleic Acids Res.* (1995) 23 962-966.
- 41: Savini E, Biamonti G, Ciarrocchi G, Montecucco A. Cloning and sequence analysis of a cDNA coding for the murine DNA ligase I enzyme. *Gene* (1994) 144: 253-257
- 42: Montecucco A, Capolongo L, Melegaro M, Mondello C, Ciarrocchi G. Temperature influences both cytotoxicity and DNA nicking efficiency of the antitumor distamycin analogue FCE24517. *Anticancer Res.* (1994) 14: 189-192.
- 43: Ciarrocchi G, Lestingi M, Wright G, Montecucco A. Bacteriophage T4 and human type I DNA ligases relax DNA under joining conditions. *Nucleic Acids Res.* (1993) 21: 5934-5939
- 44: Montecucco A, Lestingi M, Rossignol J M, Elder R H, Ciarrocchi G. Lack of discrimination between DNA ligases I and III by two classes of inhibitors, anthracyclines and distamycins. *Biochem Pharmacol.* (1993) 45: 1536-1539.
- 45: Montecucco A, Biamonti G, Savini E, Focher F, Spadari S, Ciarrocchi G. DNA ligase I gene expression during differentiation and cell proliferation. *Nucleic Acids Res.* (1992) 20: 6209-6214.
- 46: Fontana M, Lestingi M, Mondello M, Braghetti B, Montecucco A, Ciarrocchi G. DNA binding properties of FCE24517, an electrophilic distamycin analogue. *Anti-Cancer Drug Design* (1992) 7: 131-141.
- 47: Elder R H, Montecucco A, Ciarrocchi G, Rossignol J M. Rat liver DNA ligases: catalytic properties of a novel form of DNA ligase. *Eur. J. Biochem.* (1992) 203: 53-58.
- 48: Montecucco A, Biamonti G, Ciarrocchi G A sequence variant of the human DNA ligase type I gene (LIG I). *Nucleic Acids Res.* (1991) 22: 6347.

- 49: Ciarrocchi G, Fontana M, Spadari S, Montecucco A. Inhibition of human DNA ligase by anthracyclines and distamycins. *Anticancer Res.* (1991) 11: 1317-1322.
- 50: Ciarrocchi G, Lestingi M, Fontana M, Spadari S, Montecucco A. Correlation between anthracycline structure and human DNA ligase inhibition. *Biochem J.* (1991) 279: 141-146.
- 51: Montecucco A, Fontana M, Focher F, Lestingi M, Spadari S, Ciarrocchi G. Specific inhibition of human DNA ligase adenylation by a distamycin derivative. *Nucleic Acids Res.* (1991) 19: 1067-1072
- 52: Montecucco A, Lestingi M, Pedrali-Noy G, Spadari S, Ciarrocchi G. Use of ATP, dATP and their alpha thio-derivatives to study DNA ligase adenylation. *Biochem J.* (1990) 271: 265-268
- 53: Carbonera D, Gramegna M, Montecucco A, Cell R. DNA topoisomerase I: evidence for an additional form in carrot cells. *J. Exp. Botany* (1990) 41: 1475-1478.
- 54: Parolin C, Montecucco A, Ciarrocchi G, Pedrali-Noy G, Valisena S, Palumbo M, Palù G. The effect of the minor groove binding agent DAPI (diamidino-phenil-indole) on DNA-directed enzymes: an attempt to explain inhibition of plasmid expression in *Escherichia coli*. *FEMS Microbiol Lett.* (1990) 68: 341-346.
- 55: Montecucco A, Pedrali-Noy G, Spadari S, Lestingi M, Ciarrocchi G. Effects of DNA binbing drugs on T4 DNA ligase. *Biochem J.* (1990) 226: 379-384
- 56: Spadari S, Montecucco A, Pedrali-Noy G, Ciarrocchi G, Focher F, Hubscher U. A double loop model for the replication of eukaryotic DNA. *Mutation Res.* (1989) 219: 147-156.
- 57: Montecucco A, Pedrali-Noy G, Spadari S, Zanolin E, Chiesa M T, Ciarrocchi G. DNA ligases are specifically inhibited by anthracyclines with a free 3'-amino group. *J. Chemotherapy* (1989) 1: sup. 4, 1138-1139.
- 58: Montecucco A, Pedrali-Noy G, Spadari S, Ciarrocchi G. Multiple roles of DNA ligase at the replication fork. *Biochimica Biophysica Acta* (1988) 951: 330-334.
- 59: Montecucco A, Ciarrocchi G. AMP-dependent DNA relaxation catalyzed by DNA ligase occurs by a nicking-closing mechanism. *Nucleic Acids Res.* (1988) 16: 7369-7381.
- 60: Montecucco A, Pedrali-Noy G, Spadari S, Zanolin E, Ciarrocchi G. DNA unwinding and inhibition of T4 DNA ligase by anthracyclines. *Nucleic Acids Res.* (1988) 16: 3907-3918.
- 61: Montecucco A, Spadari S, Focher F, Pedrali-Noy G, Sala C, Palù G, Ciarrocchi G. Detection of the effects of intercalating and non-intercalating drugs on DNA structure. *Biochem Pharmacol.* (1988) 37: 1853-1854.

- 62: Ciarrocchi G, Montecucco A, Pedrali-Noy G, Spadari S. A novel target in DNA metabolism for cytotoxic drugs. *Biochem Pharmacol.* (1988) 37: 1803-1804.
- 63: Carbonera D, Cell R, Montecucco A, Ciarrocchi G. Isolation of a type I topoisomerase from carrot cells. *J. Exp. Botany* (1988) 39: 70-78.
- 64: Spadari S, Pedrali-Noy G, Focher F, Montecucco A, Bordoni T, Geroni C, Ventrella G, Arcamone F, Ciarrocchi G. DNA Polymerases and DNA Topoisomerases as target for development of anticancer drugs. *Anticancer Res.* (1986) 6: 935-940.