

PUBBLICAZIONI SU RIVISTE INTERNAZIONALI - PUBLICATIONS IN INTERNATIONAL JOURNALS:

***Nota:** Il numero totale di pubblicazioni su riviste internazionali è 192, con circa 18.000 citazioni in Web of Science. L'attuale H-index (ISI) è 73.*

***Note:** The total number of publications in international journals is 192, with about 18,000 citations in Web of Science. The current ISI H-index is 73.*

- 1) Ascenzi P, Torroni A, Menegatti E, Guarnieri M, Amiconi G. Catalytic properties of human Lys⁷⁷-plasmin. A comparative steady-state and pre-steady-state study. *Biochim Biophys Acta* 832:215-219 (1985).
- 2) Ascenzi P, Aducci P, Torroni A, Amiconi G, Ballio A, Menegatti E, Guarnieri M. The pH dependence of pre-steady-state and steady-state kinetics for the papain-catalyzed hydrolysis of N-alpha-carbonbenzoxyglycine *p*-nitrophenyl ester. *Biochim Biophys Acta* 912:203-210 (1987).
- 3) Brega A, Torroni A, Semino O, Maccioni L, Casanova M, Scozzari R, Fellous M, Santachiara-Benerecetti AS. The p12F2/TaqI Y-specific polymorphism in three groups of Italians and in a sample of Senegalese. *Gene Geography* 1:201-206 (1987).
- 4) Santachiara-Benerecetti AS, Scozzari R, Semino O, Torroni A, Brega A, Wallace DC. Mitochondrial DNA polymorphisms in Italy. II. Molecular analysis of new and rare morphs from Sardinia and Rome. *Ann Hum Genet* 52:39-56 (1988).
- 5) Scozzari R, Torroni A, Semino O, Sirugo G, Brega A, Santachiara-Benerecetti AS. Genetic studies on the Senegal population. I. Mitochondrial DNA polymorphisms. *Am J Hum Genet* 43:534-544 (1988).
- 6) Torroni A, Raimondi E, Ferretti L, Daielli C, Santachiara-Benerecetti AS, De Carli L, Sgaramella V. Isolation and mapping of a polymorphic DNA sequence (AMC,34) on the chromosome 2 (D2S63). *Nucleic Acids Res* 16:9061 (1988).
- 7) Semino O, Torroni A, Scozzari R, Brega A, De Benedictis G, Santachiara-Benerecetti AS. Mitochondrial DNA polymorphisms in Italy. III. Population data from Sicily: a possible quantitation of maternal African ancestry. *Ann Hum Genet* 53:193-202 (1989).
- 8) Torroni A, Semino O, Rose G, De Benedictis G, Brancati C, Santachiara-Benerecetti AS. Mitochondrial DNA polymorphisms in the Albanian population of Calabria (Southern Italy). *Int J Anthropol* 5:97-104 (1990).
- 9) Torroni A, Semino O, Scozzari R, Sirugo G, Spedini G, Casanova M, Fellous M, Santachiara-Benerecetti AS. Y chromosome DNA polymorphisms in human populations. Important differences between Caucasoids and Africans detected by 49a and 49f probes. *Ann Hum Genet* 54:287-296 (1990).
- 10) Torroni A, Stepien G, Hodge J, Wallace DC. Neoplastic transformation is associated with coordinate induction of nuclear and cytoplasmic oxidative phosphorylation genes. *J Biol Chem* 265:20589-20593 (1990).
- 11) Semino O, Torroni A, Scozzari R, Brega A, Santachiara-Benerecetti AS. Mitochondrial DNA polymorphisms among Hindus: A comparison with the Tharus of Nepal. *Ann Hum Genet* 55:123-136 (1991).
- 12) Semino O, Torroni A, Ferretti L, Santachiara-Benerecetti AS. Two additional MspI RFLPs revealed by MC.34 (D2S63). *Nucleic Acids Res* 19:6345 (1991).
- 13) Shoffner JM, Watts RL, Juncos JL, Torroni A, Wallace DC. Mitochondrial oxidative phosphorylation defects in Parkinson Disease. *Ann Neurol* 30:332-339 (1991).
- 14) Wallace DC, Lott MT, Torroni A, Shoffner JM. Report of the committee on human mitochondrial DNA. *Cytogenet Cell Genet* 58:1103-1123 (1991).
- 15) Ballinger SW, Schurr TG, Torroni A, Gan YY, Hodge JA, Hassan K, Chen K-H, Wallace DC. Southeast Asian mitochondrial DNA analysis reveals genetic continuity of ancient mongoloid migrations. *Genetics* 130:139-152 (1992).

- 16) Brown MD, Voljavec AS, Lott MT, Torrioni A, Yang C-C, Wallace DC. Mitochondrial DNA complex I and III mutations associated with Leber's hereditary optic neuropathy. *Genetics* 130:163-173 (1992).
- 17) Brown MD, Torrioni A, Shoffner JM, Wallace DC. Mitochondrial tRNA^{Thr} mutations and lethal infantile mitochondrial myopathy. *Am J Hum Genet* 51:446-447 (1992).
- 18) Brown MD, Yang C-C, Trounce I, Torrioni A, Lott MT, Wallace DC. A mitochondrial DNA variant identified in Leber's Hereditary Optic Neuropathy patients which extends the amino acid sequence of cytochrome c oxidase subunit I. *Am J Hum Genet* 51:378-385 (1992).
- 19) Stepien G, Torrioni A, Chung A, Hodge JA, Wallace DC. Differential expression of adenine nucleotide translocator isoforms in mammalian tissues and during muscle cell differentiation. *J Biol Chem* 267:14592-14597 (1992).
- 20) Torrioni A, Schurr TG, Yang C-C, Szathmary EJE, Williams RC, Schanfield MS, Troup GA, Knowler WC, Lawrence DN, Weiss KM, Wallace DC. Native American mitochondrial DNA analysis indicates that the Amerind and the Nadene populations were founded by two independent migrations. *Genetics* 130:153-162 (1992).
- 21) Wallace DC, Torrioni A. American Indian prehistory as written in the mitochondrial DNA-A review. *Hum Biol* 64:403-416 (1992).
- 22) Wallace DC, Lott MT, Torrioni A, Brown MD. Report of the committee on human mitochondrial DNA. Chromosome Coordinating Meeting 1992. *Cytogenetics and Cell Genetics*, Ed. H.P. Klinger. pp. 727-757.
- 23) Wallace DC, Shoffner JM, Watts RL, Juncos JL, Torrioni A. Mitochondrial oxidative phosphorylation defects in Parkinson's disease. *Ann Neurol* 32:113-114 (1992).
- 24) Shoffner JM, Brown MD, Torrioni A, Lott MT, Cabell M, Mirra SS, Beal MF, Yang C-C, Gearing M, Salvo R, Watts RL, Juncos JL, Hansen LA, Crain BJ, Fayad M, Reckord CL, Wallace DC. Mitochondrial DNA variants observed in Alzheimer and Parkinson disease patients. *Genomics* 17:171-184 (1993).
- 25) Torrioni A, Schurr TG, Cabell MF, Brown MD, Neel JV, Larsen M, Smith DG, Vullo CM, Wallace DC. Asian affinities and continental radiation of the four founding Native American mitochondrial DNAs. *Am J Hum Genet* 53:563-590 (1993).
- 26) Torrioni A, Sukernik RI, Schurr TG, Starikovskaya YB, Cabell MF, Crawford MH, Comuzzie AG, Wallace DC. Mitochondrial DNA variation of aboriginal Siberians reveals distinct genetic affinities with Native Americans. *Am J Hum Genet* 53:591-608 (1993).
- 27) Haraguchi Y, Chung AB, Torrioni A, Stepien G, Shoffner JM, Wasmuth JJ, Costigan DA, Polak M, Altherr R, Winokur ST, Wallace DC. Genetic mapping of human heart-skeletal muscle adenine nucleotide translocator and its relationship to the facio scapulo-humeral muscular dystrophy locus. *Genomics* 16:479-485 (1993).
- 28) Santachiara-Benerecetti AS, Semino O, Passarino G, Torrioni A, Brdicka R, Fellous M, Modiano G. The common, near-Eastern origin of Ashkenazi and Sephardi Jews supported by Y-chromosome similarity. *Ann Hum Genet* 57:55-64 (1993).
- 29) Moore LG, Zamudio S, Curran-Everett L, Torrioni A, Jorde LB, Shohet RV, Thupten, Drolkar T. Genetic adaptation to high altitude. In: *Advances in Exercise and Sports Medicine* (ed: Steve Wood) as part of the series Lung Biology and Health (exec. ed.: Claude Lenfant), Marcel Dekker Inc. Publ. pp. 225-262 (1993).
- 30) Brown MD, Torrioni A, Huoponen K, Chen Y-S, Lott MT, Wallace DC. Pathological significance of the mtDNA np COXIII mutation at nucleotide pair 9438 in Leber's hereditary optic neuropathy. *Am J Hum Genet* 55:410 (1994).
- 31) Newman NJ, Torrioni A, Brown MD, Lott MT, Marquez-Fernandez M, Wallace DC and the Cuban National Operative Group. Epidemic neuropathy in Cuba not associated with mitochondrial DNA mutations found in Leber's Hereditary Optic Neuropathy patients. *Am J Ophthalmol* 118:158-168 (1994).
- 32) Scozzari R, Torrioni A, Semino O, Cruciani F, Spedini G, Santachiara Benerecetti AS. Genetic studies in Cameroon: Mitochondrial DNA polymorphisms in Bamileke. *Hum Biol* 66:1-12 (1994).

- 33) Torrioni A, Chen Y-S, Semino O, Santachiara-Beneceretti AS, Scott RC, Lott MT, Winter M, Wallace DC. Mitochondrial DNA and Y-chromosome polymorphisms in four Native American populations from Southern Mexico. *Am J Hum Genet* 54:303-318 (1994).
- 34) Torrioni A, Miller JA, Moore LG, Zamudio S, Zhuang J, Droma T, Wallace DC. Mitochondrial DNA analysis in Tibet: implications for the origin of the Tibetan population and its adaptation to high altitude. *Am J Phys Anthropol* 93:189-199 (1994).
- 35) Torrioni A, Neel JV, Barrantes R, Schurr TG, Wallace DC. A mitochondrial DNA "clock" for the Amerinds and its implications for timing their entry into North America. *Proc Natl Acad Sci USA* 91:1158-1162 (1994).
- 36) Torrioni A, Wallace DC. Mitochondrial DNA variation in human populations and implications for detection of mitochondrial DNA mutations of pathological significance. *J Bioenerg Biomembr* 26:261-271 (1994).
- 37) Wallace DC, Lott MT, Torrioni A, Brown MD, Shoffner JM. Mitochondrial DNA Committee Report. In: A. Jamie Cuticchia and Peter L. Pearson (eds). *Human Gene Mapping, 1993: A Compendium*. The Johns Hopkins University Press, Baltimore, Maryland (1994).
- 38) Torrioni A, Lott MT, Cabell MF, Chen Y-S, Lavergne L, Wallace DC. Mitochondrial DNA and the origin of Caucasians. Identification of ancient Caucasian-specific haplogroups, one of which is prone to a recurrent somatic duplication in the D-loop region. *Am J Hum Genet* 55:760-776 (1994).
- 39) Parenti F, Torrioni A. Archeologia preistorica e analisi del DNA mitocondriale nella questione del popolamento delle Americhe. *Rivista di Antropologia* 72:1-14 (1994).
- 40) Torrioni A, Wallace DC. Mitochondrial DNA haplogroups in Native Americans. *Am J Hum Genet* 56:1234-1236 (1995).
- 41) Zerylnick C, Torrioni A, Sherman SL, Warren ST. Normal variation at the myotonic dystrophy locus in global human populations. *Am J Hum Genet* 56:123-130 (1995).
- 42) Wallace DC, Lott MT, Brown MD, Huoponen K, Torrioni A. Mitochondrial DNA Committee Report. In: A. Jamie Cuticchia and Peter L. Pearson (eds). *Human Gene Mapping, 1994: A Compendium*. The Johns Hopkins University Press, Baltimore, Maryland. (1995). Internet access to this report through the World Wide Web at site <http://infinity.gen.emory.edu/>
- 43) Brown MD, Torrioni A, Reckord CL, Wallace DC. Phylogenetic analysis of Leber's hereditary optic neuropathy mitochondrial DNA's indicates multiple independent occurrences of the common mutations. *Hum Mutat* 6:311-325 (1995).
- 44) Torrioni A, Brown MD, Lott MT, Newman NJ, Wallace DC and the Cuban National Operative Group on Epidemic Neuropathy. African, Native American and European mitochondrial DNAs in Cubans from the Pinar del Rio Province and implications for the recent epidemic neuropathy in Cuba. *Hum Mutat* 5:310-317 (1995).
- 45) Torrioni A, Petrozzi M, Santolamazza P, Sellitto D, Cruciani F, Scozzari R. About the "Asian"-specific 9-bp deletion of mtDNA *Am J Hum Genet* 57: 507-508 (1995).
- 46) Chen Y-S, Torrioni A, Excoffier L, Santachiara-Benerecetti AS, Wallace DC. Analysis of mtDNA variation in African populations reveals the most ancient of all human continent-specific haplogroups. *Am J Hum Genet* 57:133-149 (1995).
- 47) Newman NJ, Torrioni A, Brown MD, Lott MT, Wallace DC, Philen R, Roman GC. Cuban optic neuropathy. *Neurology* 45:397 (1995).
- 48) Kunst CB, Zerylnick C, Karickhoff L, Eichler E, Bullard J, Chalifoux M, Holden JJA, Torrioni A, Nelson DL, Warren ST. FMR1 in global populations. *Am J Hum Genet* 58:513-522 (1996).
- 49) Torrioni A, Carelli C, Petrozzi M, Terracina M, Barboni P, Malpassi P, Wallace DC, Scozzari R. Detection of the mtDNA 14484 mutation on an African-specific haplotype. Implications about its role in causing Leber hereditary optic neuropathy. *Am J Hum Genet* 59:248-252 (1996).

- 50) Jackson CE, Cinelli FH, Wallace DC, Torrioni A. Potential of mitochondrial DNA for providing insights into the origin of the Etruscans. *Etruscan Studies* 3:165-170 (1996).
- 51) Torrioni A, Huoponen K, Francalacci P, Petrozzi M, Morelli L, Scozzari R, Obinu D, Savontaus ML, Wallace DC. Classification of European mtDNAs from an analysis of three European populations. *Genetics* 144:1835-1850 (1996).
- 52) Forster P, Harding R, Torrioni A, Bandelt H-J. Origin and evolution of Native American mtDNA variation: a reappraisal. *Am J Hum Genet* 59:935-945 (1996).
- 53) Huoponen K, Torrioni A, Wickman PR, Sellitto D, Gurley DS, Scozzari R, Wallace DC. Mitochondrial DNA and Y chromosome-specific polymorphisms in the Seminole tribe of Florida. *Eur J Hum Genet* 5:25-34 (1997). IF: 3.112
- 54) Torrioni A, Petrozzi M, D'Urbano L, Sellitto D, Zeviani M, Carrara F, Carducci C, Leuzzi V, Carelli V, Barboni P, De Negri A, Scozzari R. Haplotype and phylogenetic analyses suggest that one European-specific mtDNA background plays a role in the expression of Leber Hereditary Optic Neuropathy by increasing the penetrance of the primary mutations 11778 and 14484. *Am J Hum Genet* 60:1107-1121 (1997). IF: 10.244
- 55) Scozzari R, Cruciani F, Santolamazza P, Sellitto D, Cole DEC, Rubin LA, Labuda D, Marini E, Succa V, Vona G, Torrioni A. mtDNA and Y chromosome-specific polymorphisms in modern Ojibwa: implications about the origin of their gene pool. *Am J Hum Genet* 60: 241-244 (1997). IF: 10.244
- 56) Lell JT, Brown MD, Schurr TG, Sukernik RI, Starikovskaya EB, Torrioni A, Moore LG, Troup GM, Wallace DC. Y chromosome polymorphisms in Native American and Asian populations: Identification of founding Native American Y chromosome haplotypes. *Hum Genet* 100:536-543 (1997). IF: 2.662
- 57) Scozzari R, Cruciani F, Malaspina P, Santolamazza P, Ciminelli B, Torrioni A, Spedini G, Modiano D, Wallace DC, Olckers A, Kidd KK, Terrenato L, Akar N, Qamar R, Mansoor A, Mehdi SQ, Moral P, Meloni G, Vona G, Cole DEC, Cai W, Novelletto A. Differential structuring of human populations for homologous X and Y microsatellite loci. *Am J Hum Genet* 61:719-733 (1997). IF: 10.244
- 58) Forster P, Harding R, Torrioni A, Bandelt HJ. Further comments on the characterization of founder Amerindian mitochondrial haplotypes. Reply to Bianchi and Baillet. *Am J Hum Genet* 61:246-247 (1997). IF: 10.244
- 59) Leuzzi V, Carducci C, Lanza M, Salvetti M, Ristori G, Di Giovanni S, Torrioni A. LHON mutations in Italian patients affected by multiple sclerosis. *Acta Neurol Scand* 96:145-148 (1997). IF: 0.902
- 60) Torrioni A. Mitochondrial DNA variation in other populations. *Etruscan Studies* 4:121-136 (1997). IF: n. a.
- 61) Estivill X, Govea N, Barcelo A, Perello E, Badenas C, Romero E, Moral L, Scozzari R, D'Urbano L, Zeviani M, Torrioni A. Familial progressive sensorineural deafness is mainly due to mitochondrial DNA 1555G mutation and is enhanced by treatment with aminoglycosides. *Am J Hum Genet* 62:27-35 (1998). IF: 10.869
- 62) Torrioni A, D'Urbano L, Rengo C, Scozzari R, Sbracia M, Manna C, Cavazzini C, Sellitto D. Intracytoplasmic injection of spermatozoa does not appear to alter the mode of mtDNA inheritance. *Hum Reprod* 13:1747-1749 (1998). IF: 3.650
- 63) Torrioni A, Bandelt H-J, D'Urbano L, Lahermo P, Moral P, Sellitto D, Rengo C, Forster P, Savontaus M-L, Bonn -Tamir B, Scozzari R. MtDNA analysis reveals a major late Palaeolithic population expansion from southwestern to northeastern Europe. *Am J Hum Genet* 62:1137-1152 (1998). IF: 10.869
- 64) Brown MD, Hosseini SH, Torrioni A, Bandelt H-S, Allen JC, Schurr TG, Scozzari R, Cruciani F, Wallace DC. MtDNA haplogroup X: an ancient link between Europe/West Asia and North America? *Am J Hum Genet* 63:1852-1861 (1998). IF: 10.869
- 65) Macaulay V, Richards M, Hickey E, Vega E, Cruciani F, Guida V, Scozzari R, Bonne-Tamir B, Sykes B, Torrioni A. The emerging tree of West Eurasian mtDNAs: a synthesis of control-region sequences and RFLPs. *Am J Hum Genet* 64:232-249 (1999). IF: 10.426
- 66) Scozzari R, Cruciani F, Santolamazza P, Malaspina P, Torrioni A, Arredi B, Spedini G, De Stefano G, Rickards O, Martinez-Labarga C, Modiano D, Moral P, Olckers A, Novelletto A. Combined use of biallelic and microsatellite Y

chromosome polymorphisms to infer genetic affinities among African human populations. *Am J Hum Genet* 65:829-846 (1999). IF: 10.426

67) Torrioni A, Cruciani F, Rengo C, Sellitto D, López-Bigas N, Rabionet R, Govea N, López de Munain A, Sarduy M, Romero L, Villamar M, del Castillo I, Moreno F, Estivill X, Scozzari R. The A1555G mutation in the 12S rRNA gene of human mtDNA: Recurrent origins and founder events in families affected by sensorineural deafness. *Am J Hum Genet* 65:1349-1358 (1999). IF: 10.426

68) Rocha H, Flores C, Campos Y, Arenas J, Vilarinho L, Santorelli FM, Torrioni A. About the “Pathological” role of the mtDNA T3308C mutation ... *Am J Hum Genet* 65:1457-1459 (1999). IF: 10.426

69) Torrioni A, Richards M, Macaulay V, Forster P, Vilems R, Nørby S, Savontaus M-L, Huoponen K, Scozzari R, Bandelt H-J. mtDNA haplogroups and frequency patterns in Europe. *Am J Hum Genet* 66:1173-1177 (2000). IF: 10.351

70) Torrioni A. Mitochondrial DNA and the origin of Native Americans. in *America Past, America Present: Genes and Languages in the Americas and Beyond*. Renfrew C. (ed) The McDonald Institute for Archaeological Research, Cambridge, Chapter 6, pp. 75-87 (2000). IF: n. a.

71) Morelli L, Grosso MG, Vona G, Varesi L, Torrioni A, Francalacci P. Frequency distribution of mitochondrial DNA haplogroups in Corsica and Sardinia. *Hum Biol* 72:585-595 (2000). IF: 1.532

72) McMahon FJ, Chen Y-S, Patel S, Kokoszka J, Brown MD, Torrioni A, DePaulo JR, Wallace DC. Mitochondrial DNA sequence diversity in bipolar affective disorder. *Am J Psychiatry* 157:1058-64 (2000). IF: 6.577

73) Malaspina P, Cruciani F, Santolamazza P, Torrioni A, Pangrazio A, Akar N, Bakalli V, Brdicka R, Jaruzelska J, Kozlov A, Malyarchuk B, Mehdi SQ, Michalodimitrakis E, Varesi L, Memmi MM, Vona G, Vilems R, Parik J, Romano V, Stefan M, Stenico M, Terrenato L, Novelletto A, Scozzari R. Patterns of male-specific inter-population divergence in Europe, West Asia and North Africa. *Ann Hum Genet* 64:395-412 (2000). IF: 2.146

74) Malaspina P, Cruciani F, Torrioni A, Terrenato L, Novelletto A, Scozzari R. Human Y-chromosomal networks and patterns of gene flow in Europe, West Asia and North Africa. In: *Archaeogenetics: DNA and the population prehistory of Europe*. Renfrew C. and Boyle K. (eds) The McDonald Institute for Archaeological Research, Cambridge, chapter 16, pp. 163-165 (2000). IF: n. a.

75) Richards M, Macaulay V, Hickey E, Vega E, Sykes B, Guida V, Rengo C, Sellitto D, Cruciani F, Kivisild T, Vilems R, Thomas M, Rychkov S, Rychkov O, Rychkov Y, Gölge M, Dimitrov D, Hill E, Bradley D, Romano V, Cali F, Vona G, Demaine A, Papiha S, Triantaphyllidis C, Stefanescu G, Hatina J, Belledi M, Di Rienzo A, Novelletto A, Oppenheim A, Nørby S, Al-Zaheri N, Santachiara-Benerecetti A.S, Scozzari R, Torrioni A, Bandelt H-J. Tracing European founder lineages in the Near Eastern mtDNA pool. *Am J Hum Genet* 67:1251-1276 (2000). IF: 10.351

76) Torrioni A. mtDNA haplogroups in human populations and disease studies. *J Cult Heritage* 1: (supplement 2) 33-34 (2000). IF: n. a.

77) McMahon FJ, Chen Y-S, Torrioni A. Dr. McMahon and colleagues reply to Mitochondrial DNA polymorphisms and bipolar disorder. *Am J Psychiatry* 158:1170 (2001). IF: 6.913

78) Scozzari R, Cruciani F, Pangrazio A, Santolamazza P, Vona G, Moral P, Latini V, Varesi L, Memmi MM, Romano V, De Leo G, Gennarelli M, Jaruzelska J, Vilems R, Parik J, Macaulay V, Torrioni A. Human Y-chromosome variation in the western Mediterranean area: Implications for the peopling of the region. *Hum Immunol* 62:871-884 (2001). IF: 2.373

79) Bandelt H-J, Alves-Silva J, Guimaraes PEM, Santos MS, Brehm A, Pereira L, Coppa A, Larruga JM, Rengo C, Scozzari R, Torrioni A, Prata MJ, Amorim A, Prado VF, Pena SDJ. Phylogeography of the human mitochondrial haplogroup L3e: a snapshot of African prehistory and Atlantic slave trade. *Ann Hum Genet* 65:549-563 (2001). IF: 2.135

80) Pereira L, Macaulay V, Torrioni A, Scozzari R, Prata MJ, Amorim A. Prehistoric and historic traces in the mtDNA of Mozambique: insights into the Bantu expansions and the slave trade. *Ann Hum Genet* 65:439-458 (2001). IF: 2.135

81) Forster P, Torrioni A, Renfrew C, Röhl A. Phylogenetic star contraction applied to Asian and Papuan mtDNA evolution. *Mol Biol Evol* 18:1864-1881 (2001). IF: 5.357

- 82) Torrioni A, Bandelt H-J, Macaulay V, Richards M, Cruciani F, Rengo C, Martinez-Cabrera V, Villems R, Kivisild T, Metspalu E, Parik J, Tolk H-V, Tambets K, Forster P, Karger B, Francalacci P, Rudan P, Janicijevic B, Rickards O, Savontaus M-L, Huoponen K, Laitinen V, Koivumäki S, Sykes B, Hickey E, Novelletto A, Moral P, Sellitto D, Coppa A, Al-Zaheri N, Santachiara-Benerecetti AS, Semino O, Scozzari R. A signal, from human mtDNA, of postglacial recolonization in Europe. *Am J Hum Genet* 69:844-852 (2001). IF: 10.542
- 83) Torrioni A, Rengo C, Guida V, Cruciani F, Sellitto D, Coppa A, Luna Calderon F, Simionati B, Valle G, Richards M, Macaulay V, Scozzari R. Do the four clades of the mtDNA haplogroup L2 evolve at different rates? *Am J Hum Genet* 69:1348-1356 (2001). IF: 10.542
- 84) Cruciani F, Santolamazza P, Shen P, Macaulay V, Moral P, Olckers A, Modiano D, Holmes S, Destro-Bisol G, Coia V, Wallace DC, Oefner PJ, Torrioni A, Cavalli-Sforza LL, Scozzari R, Underhill PA. A back migration from Asia to sub-Saharan Africa is supported by high-resolution analysis of human Y-chromosome haplotypes. *Am J Hum Genet* 70:1197-1214 (2002). IF: 10.649
- 85) Thomas MG, Weale ME, Jones AL, Richards M, Smith A, Redhead N, Torrioni A, Scozzari R, Gratrix F, Tarekegn A, Wilson JF, Capelli C, Bradman N, Goldstein DB. Founding mothers of Jewish communities: geographically separated Jewish groups were independently founded by very few female ancestors. *Am J Hum Genet* 70:1411-1420 (2002). IF: 10.649
- 86) Valentino ML, Avoni P, Barboni P, Pallotti F, Rengo C, Torrioni A, Bellan M, Baruzzi A, Carelli V. Mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy. *Ann Neurol* 51:774-778 (2002). IF: 8.603
- 87) Carelli V, Vergani L, Bernazzi B, Zampieron C, Bucchi L, Valentino ML, Rengo C, Torrioni A, Martinuzzi A. Respiratory function in cybrid cell lines carrying European mtDNA haplogroups: implications for Leber's hereditary optic neuropathy. *Biochem Biophys Acta (Molecular Basis of Disease)* 1588:7-14 (2002). IF: 3.300
- 88) Richards M, Macaulay V, Torrioni A, Bandelt H-J. In search of geographical patterns in European mtDNA. *Am J Hum Genet* 71:1168-1174 (2002). IF: 10.649
- 89) Torrioni A, Campos Y, Rengo C, Sellitto D, Achilli A, Magri C, Semino O, García A, Jara P, Arenas J, Scozzari R. MtDNA haplogroups do not play a role in the variable phenotypic presentation of the A3243G mutation. *Am J Hum Genet* 72:1005-1012 (2003). IF: 11.602
- 90) Richards M, Rengo C, Cruciani F, Gratrix F, Wilson JF, Scozzari R, Macaulay V, Torrioni A. Extensive female-mediated gene flow from sub-Saharan Africa into Near Eastern Arab populations. *Am J Hum Genet* 72:1058-1064 (2003). IF: 11.602
- 91) Al-Zahery N, Semino O, Benuzzi G, Magri C, Passarino G, Torrioni A, Santachiara-Benerecetti AS. Y-chromosome and mtDNA polymorphisms in Iraq, a crossroad of the early human dispersal and of post-Neolithic migrations. *Mol Phylogenet Evol* 28:458-472 (2003). IF: 2.826
- 92) Bandelt H-J, Herrnstadt C, Yao Y-G, Kong Q-P, Kivisild T, Rengo C, Scozzari R, Richards M, Villems R, Macaulay V, Howell N, Torrioni A, Zhang Y-P. Identification of Native American founder mtDNAs through the analysis of complete mtDNA sequences: some caveats. *Ann Hum Genet* 67:512-524 (2003). IF: 3.102
- 93) Cruciani F, Bernardini L, Santolamazza P, Modiano D, Torrioni A, Scozzari R. Linkage disequilibrium analysis of the human adenosine deaminase (ADA) gene provides evidence for a lack of correlation between hot spots of equal and unequal homologous recombination. *Genomics* 82:20-33 (2003). IF: 3.488
- 94) Reidla M, Kivisild T, Metspalu E, Kaldma K, Tambets K, Tolk H-V, Parik J, Loogväli E-L, Derenko M, Malyarchuk B, Bermisheva M, Zhadanov S, Pennarun E, Gubina M, Golubenko M, Damba L, Fedorova S, Gusar V, Grechanina E, Mikerezi I, Moisan J-P, Chaventré A, Khusnutdinova E, Osipova L, Stepanov V, Voevoda M, Achilli A, Rengo C, Rickards O, De Stefano GF, Papiha S, Beckman L, Janicijevic B, Rudan P, Anagnou N, Michalodimitrakis E, Kozziel S, Usanga E, Geberhiwot T, Herrnstadt C, Howell N, Torrioni A, Villems R. Origin and diffusion of mtDNA haplogroup X. *Am J Hum Genet* 73:1178-1190 (2003). IF: 11.602

- 95) Salas A, Richards M, Lareu MV, Scozzari R, Coppa A, Torrioni A, Macaulay V, Carracedo A. The African diaspora: mitochondrial DNA and the Atlantic slave trade. *Am J Hum Genet* 74:454-465 (2004). IF: 12.340
- 96) Quintana-Murci L, Chaix R, Wells SR, Behar DM, Sayar H, Ottolenghi C, Scozzari R, Rengo C, Al-Zahery N, Semino O, Santachiara-Benerecetti AS, Coppa A, Ayub Q, Mohyuddin A, Tyler-Smith C, Mehdi SQ, Torrioni A, McElreavey K. Where West meets East: The complex mtDNA landscape of the Southwest and Central Asian corridor. *Am J Hum Genet* 74:827-845 (2004). IF: 12.340
- 97) Cruciani F, La Fratta R, Santolamazza P, Sellitto D, Pascone R, Moral P, Watson E, Guida V, Colomb EB, Zaharova B, Lavinha J, Vona G, Aman R, Cali F, Akar N, Richards M, Torrioni A, Novelletto A, Scozzari R. Phylogeographic analysis of haplogroup E3b (E-M215) Y chromosomes reveals multiple migratory events within and out of Africa. *Am J Hum Genet* 74:1014-1022 (2004). IF: 12.340
- 98) Semino O, Magri C, Benuzzi G, Lin AA, Al-Zahery N, Battaglia V, Maccioni L, Triantaphyllidis C, Shen P, Oefner PJ, Zhivotovsky LA, King R, Torrioni A, Cavalli-Sforza LL, Underhill PA, Santachiara-Benerecetti AS. Origin, diffusion, and differentiation of Y-chromosome haplogroups E and J: inferences on the neolithization of Europe and later migratory events in the Mediterranean area. *Am J Hum Genet* 74:1023-1034 (2004). IF: 12.340
- 99) Rootsi S, Magri C, Kivisild T, Benuzzi G, Help H, Bermisheva M, Kutuev I, Barac L, Pericic M, Balanovsky O, Pshenichnov A, Dion D, Grobei M, Zhivotovsky LA, Battaglia V, Achilli A, Al-Zahery N, Parik J, King R, Cinnioglu C, Khusnutdinova E, Rudan P, Balanovska E, Scheffrahn W, Simonescu M, Brehm A, Goncalves R, Rosa A, Moisan J-P, Ferak V, Füredi S, Oefner PJ, Shen P, Beckman L, Mikerezi I, Terzic R, Primorac D, Cambon-Thomsen A, Krumina A, Torrioni A, Underhill PA, Santachiara-Benerecetti AS, VILLEMS R, Semino O. Phylogeography of Y-chromosome haplogroup I reveals distinct domains of prehistoric gene flow in Europe. *Am J Hum Genet* 75:128-137 (2004). IF: 12.340
- 100) Salas A, Torrioni A, Richards M, Quintana-Murci L, Hill C, Macaulay V, Carracedo A. The phylogeography of mitochondrial DNA haplogroup L3g in Africa and the Atlantic slave trade. Reply to Bortolini et al. *Am J Hum Genet* 75:524-526 (2004). IF: 12.340
- 101) Valentino ML, Barboni P, Ghelli A, Bucchi L, Rengo C, Achilli A, Torrioni A, Lugaresi A, Lodi R, Barbiroli B, Dotti MT, Federico A, Baruzzi A, Carelli V. The ND1 gene of complex I is a mutational hot spot for Leber hereditary optic neuropathy. *Ann Neurol* 56:631-641 (2004). IF: 8.097
- 102) Achilli A, Rengo C, Magri C, Battaglia V, Olivieri A, Scozzari R, Cruciani F, Zeviani M, Briem E, Carelli V, Moral P, Dugoujon J-M, Roostalu U, Loogväli E-L, Kivisild T, Bandelt H-J, Richards M, VILLEMS R, Santachiara-Benerecetti AS, Semino O, Torrioni A. The molecular dissection of mtDNA haplogroup H confirms that the Franco-Cantabrian glacial refuge was a major source for the European gene pool. *Am J Hum Genet* 75:910-918 (2004). IF: 12.340
- 103) Metspalu M, Kivisild T, Metspalu E, Parik J, Hudjashov G, Kaldma K, Serk P, Karmin M, Behar DM, Gilbert MTP, Endicott P, Mastana S, Papiha SS, Skorecki K, Torrioni A, VILLEMS R. Most of the extant mtDNA boundaries in South and Southwest Asia were likely shaped during the initial settlement of Eurasia by anatomically modern humans. *BMC Genetics* 5:26 (2004). IF: 0.924
- 104) Starikovskaya EB, Sukernik RI, Derbeneva OA, Volodko NV, Ruiz-Pesini E, Torrioni A, Brown MD, Lott MT, Hosseini SH, Huoponen K, Wallace DC. Mitochondrial DNA diversity in indigenous populations of the southern extent of Siberia, and the origin of Native American haplogroups. *Ann Hum Genet* 69:67-89 (2005). IF: 3.192
- 105) Ghezzi D, Marelli C, Achilli A, Goldwurm S, Pezzoli G, Barone P, Pellicchia MT, Stanzione P, Brusa L, Bentivoglio AR, Bonuccelli U, Petrozzi L, Abbruzzese G, Marchese R, Cortelli P, Grimaldi D, Martinelli P, Ferrarese C, Garavaglia B, Sangiorgi S, Carelli V, Torrioni A, Albanese A, Zeviani M. Mitochondrial DNA haplogroup K is associated with a lower risk of Parkinson's Disease in Italians. *Eur J Hum Genet* 13:748-752 (2005). IF: 3.251
- 106) Achilli A, Rengo C, Battaglia V, Pala M, Olivieri A, Fornarino S, Magri C, Scozzari R, Babudri N, Santachiara-Benerecetti AS, Bandelt H-J, Semino O, Torrioni A. Saami and Berbers – an unexpected mitochondrial DNA link. *Am J Hum Genet* 76:883-886 (2005). IF: 12.649

- 107) Marjanovic D, Fornarino S, Montagna S, Primorac D, Hadziselimovic R, Vidovic S, Pojskic N, Battaglia V, Achilli A, Katja D, Andjelinovic S, [Torrioni A](#), Santachiara-Benerecetti AS, Semino O. The peopling of modern Bosnia-Herzegovina: Y-chromosome haplogroups in the three main ethnic groups. *Ann Hum Genet* 69:757-763 (2005). IF: 3.192
- 108) Macaulay V, Hill C, Achilli A, Rengo C, Clarke D, Meehan W, Blackburn J, Semino O, Scozzari R, Cruciani F, Taha A, Shaari NK, Raja JM, Ismail P, Zainuddin Z, Goodwin W, Bulbeck D, Bandelt H-J, Oppenheimer S, [Torrioni A](#), Richards M. Single, rapid coastal settlement of Asia revealed by analysis of complete human mitochondrial genomes. *Science* 308:1034-1036 (2005). IF: 30.927
- 109) Bandelt H-J, Achilli A, Kong Q-P, Salas A, Lutz-Bonengel S, Sun C, Zhang Y-P, [Torrioni A](#), Yao Y-G. Low “penetrance” of phylogenetic knowledge in mitochondrial disease studies. *Biochem Biophys Res Commun* 333:122-130 (2005). IF: 3.000
- 110) Macaulay V, Hill C, Achilli A, Rengo C, Clarke D, Meehan W, Blackburn J, Semino O, Scozzari R, Cruciani F, Taha A, Shaari NK, Raja JM, Ismail P, Zainuddin Z, Goodwin W, Bulbeck D, Bandelt H-J, Oppenheimer S, [Torrioni A](#), Richards M. Tracing modern human origins. Reply to Harpending H. & Eswaran V. *Science* 309:1995-1997 (2005). IF: 30.927
- 111) Metspalu M, Kivisild T, Metspalu E, Parik J, Hudjashov G, Kaldma K, Serk P, Karmin M, Behar DM, Gilbert MT, Endicott P, Mastana S, Papiha SS, Skorecki K, [Torrioni A](#), Villems R. Most of the extant mtDNA boundaries in South and Southwest Asia were likely shaped during the initial settlement of Eurasia by anatomically modern humans. *BMC Genet* 6:41 (2005). IF: 1.769
- 112) Behar DM, Metspalu E, Kivisild T, Achilli A, Hadid Y, Tzur S, Pereira L, Amorim A, Quintana-Murci L, Majamaa K, Herrstadt C, Howell N, Balanovsky O, Kutuev I, Pshenichnov A, Gurwitz D, Bonne-Tamir B, [Torrioni A](#), Villems R, Skorecki K. The matrilineal ancestry of Ashkenazi Jewry: portrait of a recent founder event. *Am J Hum Genet* 78:487-497 (2006). IF: 12.629
- 113) Kivisild T, Shen P, Wall DP, Do B, Sung R, Davis K, Passarino G, Underhill PA, Scharfe C, [Torrioni A](#), Scozzari R, Modiano D, Coppa A, de Knijff P, Feldman M, Cavalli-Sforza LL, Oefner PJ. The role of selection in the evolution of human mitochondrial genomes. *Genetics* 172:373-387 (2006). IF: 4.242
- 114) Carelli V, Achilli A, Valentino ML, Rengo C, Semino O, Pala M, Olivieri A, Mattiazzi M, Pallotti F, Carrara F, Zeviani M, Leuzzi V, Carducci C, Valle G, Simionati B, Mendieta L, Salomao S, Belfort R.Jr, Sadun AA, [Torrioni A](#). Haplogroup effects and recombination of mtDNA: novel clues from the analysis of LHON pedigrees. *Am J Hum Genet* 78:564-574 (2006). IF: 12.629
- 115) Valentino ML, Barboni P, Rengo C, Achilli A, [Torrioni A](#), Lodi R, Tonon C, Barbiroli B, Fortuna F, Montagna P, Baruzzi A, Carelli V. The 13042G --> A/ND5 mutation in mtDNA is pathogenic and can be associated also with a prevalent ocular phenotype. *J Med Genet* 43:e38 (2006). IF: 5.087
- 116) Kong Q-P, Bandelt H-J, Sun C, Yao Y-G, Salas A, Achilli A, Wang C-Y, Zhong L, Zhu C-L, Wu S-F, [Torrioni A](#), Zhang Y-P. Updating the East Asian mtDNA phylogeny: a prerequisite for the identification of pathogenic mutations. *Hum Mol Genet* 15:2076-2086 (2006). IF: 8.099
- 117) [Torrioni A](#), Achilli A, Macaulay V, Richards M, Bandelt H-J. Harvesting the fruit of the human mtDNA tree. *Trends Genet* 22:339-345 (2006). IF: 9.950
- 118) Cruciani F, La Fratta R, [Torrioni A](#), Underhill PA, Scozzari R. Molecular dissection of the Y chromosome haplogroup E-M78: a *posteriori* evaluation of a microsatellite-network-based approach through six new biallelic markers. *Hum Mutat* 27:831-832 (2006). IF: 6.473
- 119) Accetturo M, Santamaria M, Lascaro D, Rubino F, Achilli A, [Torrioni A](#), Tommaseo-Ponzetta M, Attimonelli M. Human mtDNA site specific variability values can act as haplogroup markers. *Hum Mutat* 27:965-974 (2006). IF: 6.473
- 120) Olivieri A, Achilli A, Pala M, Battaglia V, Fornarino S, Al-Zahery N, Scozzari R, Cruciani F, Behar DM, Dugoujon J-M, Coudray C, Santachiara-Benerecetti AS, Semino O, Bandelt H-J, [Torrioni A](#). The mtDNA legacy of the Levantine Early Upper Palaeolithic in Africa. *Science* 314:1767-1770 (2006). IF: 30.028

- 121) Annesi G, Aguglia U, Tarantino P, Annesi F, De Marco EV, Civitelli D, [Torrioni A](#), Quattrone A. *SILI* and *SARA2* mutations in Marinesco-Sjögren and chylomicron retention diseases. *Clin Genet* 71:288-289 (2007). IF: 3.181
- 122) Achilli A, Olivieri A, Pala M, Metspalu E, Fornarino S, Battaglia V, Accetturo M, Kutuev I, Khusnutdinova E, Pennarun E, Cerutti N, Di Gaetano C, Crobu F, Palli D, Matullo G, Santachiara-Benerecetti AS, Cavalli-Sforza LL, Semino O, Villems R, Bandelt H-J, Piazza A, [Torrioni A](#). Mitochondrial DNA variation of modern Tuscans supports the Near Eastern origin of Etruscans. *Am J Hum Genet* 80:759-768 (2007). IF: 11.092
- 123) Pellecchia M, Negrini R, Colli L, Patrini M, Milanese E, Achilli A, Bertorelle G, Piazza A, [Torrioni A](#), Ajmone-Marsan P. The mystery of Etruscan origin: novel clues from *Bos taurus* mitochondrial DNA. *Proc Biol Sci* 274:1175-1179 (2007). IF: 4.112
- 124) Bandelt H-J, Olivieri A, Bravi C, Yao Y-G, [Torrioni A](#), Salas A. “Distorted” mitochondrial DNA sequences in schizophrenic patients. *Eur J Hum Genet* 15:400-402 (2007). IF: 4.003
- 125) Olivieri A, Achilli A, Pala M, Battaglia V, Fornarino S, Al-Zahery N, Scozzari R, Cruciani F, Behar DM, Dugoujon J-M, Coudray C, Santachiara-Benerecetti AS, Semino O, Bandelt H-J, [Torrioni A](#). Timing of a back-migration into Africa. Reply to Forster P. & Romano V. *Science* 316:51-53 (2007). IF: 26.372
- 126) Hudson G, Carelli V, Spruijt L, Gerards M, Mowbray C, Achilli A, Pyle A, Elson J, Howell N, La Morgia C, Valentino ML, Huoponen K, Savontaus M-L, Nikoskelainen E, Sadun AA, Salomao SR, Belfort R Jr, Griffiths P, Man PYW, de Coo RFM, Horvath R, Zeviani M, Smeets HJT, [Torrioni A](#), Chinnery PF. Clinical expression of Leber hereditary optic neuropathy is affected by the mitochondrial DNA-haplogroup background. *Am J Hum Genet* 81:228-233 (2007). IF: 11.092
- 127) Hudson G, Mowbray C, Elson J, Jacob A, Boggild M, [Torrioni A](#), Chinnery PF. Does mitochondrial DNA predispose to neuromyelitis optica (Devic's disease)? *Brain* 131:e93 (2008). IF: 9.603
- 128) Achilli A, Olivieri A, Pellecchia M, Uboldi C, Colli L, Al-Zahery N, Accetturo M, Pala M, Hooshiar Kashani B, Perego UA, Battaglia V, Fornarino S, Kalamati J, Houshmand M, Negrini R, Semino O, Richards M, Macaulay V, Ferretti L, Bandelt H-J, Ajmone-Marsan P, [Torrioni A](#). Mitochondrial genomes of extinct aurochs survive in domestic cattle. *Curr Biol* 18:R157-158 (2008). IF: 10.777
- 129) La Morgia C, Achilli A, Iommarini L, Barboni P, Pala M, Olivieri A, Zanna C, Vidoni S, Tonon C, Lodi R, Vetrugno R, Mostacci B, Liguori R, Carroccia R, Montagna P, Rugolo M, [Torrioni A](#), Carelli V. Rare mtDNA variants in Leber hereditary optic neuropathy families with recurrence of myoclonus. *Neurology* 70:762-770 (2008). IF: 7.043
- 130) Achilli A, Perego UA, Bravi CM, Coble MD, Kong Q-P, Woodward SR, Salas A, [Torrioni A](#), Bandelt H-J. The phylogeny of the four pan-American mtDNA haplogroups: implications for evolutionary and disease studies. *PLoS One* 3:e1764 (2008). IF: 4.351
- 131) Cruciani F, Trombetta B, Labuda D, Modiano D, [Torrioni A](#), Costa R, Scozzari R. Genetic diversity patterns at the human clock gene period 2 are suggestive of population-specific positive selection. *Eur J Hum Genet* 16: 1526-1534 (2008). IF: 3.925
- 132) Chaubey G, Karmin M, Metspalu E, Metspalu M, Selvi-Rani D, Singh VK, Parik J, Solnik A, Naidu BP, Kumar A, Adarsh N, Mallick CB, Trivedi B, Prakash S, Reddy R, Shukla P, Bhagat S, Verma S, Vasnik S, Khan I, Barwa A, Sahoo D, Sharma A, Rashid M, Chandra V, Reddy AG, [Torrioni A](#), Foley RA, Thangaraj K, Singh L, Kivisild T, Villems R. Phylogeography of mtDNA haplogroup R7 in the Indian peninsula. *BMC Evol Biol* 8:227 (2008). IF: 4.050
- 133) Pello R, Martín MA, Carelli V, Nijtmans LG, Achilli A, Pala M, [Torrioni A](#), Gómez-Durán A, Ruiz-Pesini E, Martinuzzi A, Smeitink J, Arenas J, Ugalde C. Mitochondrial DNA background modulates the assembly kinetics of OXPHOS complexes in a cellular model of mitochondrial disease. *Hum Mol Genet* 17:4001-4011 (2008). IF: 7.249
- 134) Coudray C, Olivieri A, Achilli A, Pala M, Melhaoui M, Cherkaoui M, El-Chennawi F, Kossmann M, [Torrioni A](#), Dugoujon J-M. The complex and diversified mitochondrial gene pool of Berber populations. *Ann Hum Genet* 73:196-214 (2009). IF: 2.145
- 135) Battaglia V, Fornarino S, Al-Zahery N, Olivieri A, Pala M, Myres NM, King RJ, Rootsi S, Marjanovic D, Primorac D, Hadziselimovic R, Vidovic S, Drobnic K, Durmishi N, [Torrioni A](#), Santachiara-Benerecetti AS, Underhill PA, Semino O. Y-

- chromosomal evidence of the cultural diffusion of agriculture in southeast Europe. *Eur J Hum Genet* 17:820-830 (2009). IF: 3.564
- 136) Perego UA, Achilli A, Angerhofer N, Accetturo M, Pala M, Olivieri A, Hooshiar Kashani B, Ritchie KH, Scozzari R, Kong Q-P, Myres NM, Salas A, Semino O, Bandelt H-J, Woodward SR, Torrioni A. Distinctive Paleo-Indian migration routes from Beringia marked by two rare mtDNA haplogroups. *Curr Biol* 19:1-8 (2009). IF: 10.992
- 137) Achilli A, Bonfiglio S, Olivieri A, Malusà A, Pala M, Hooshiar Kashani B, Perego UA, Ajmone-Marsan P, Liotta L, Semino O, Bandelt HJ, Ferretti L, Torrioni A. The multifaceted origin of taurine cattle reflected by the mitochondrial genome. *PLoS One* 4:e5753 (2009). IF: 4.351
- 138) Pala M, Achilli A, Olivieri A, Hooshiar Kashani B, Perego UA, Sanna D, Metspalu E, Tambets K, Tamm E, Accetturo M, Carossa V, Lancioni H, Panara F, Zimmermann B, Huber G, Al-Zahery N, Brisighelli F, Woodward SR, Francalacci P, Parson W, Salas A, Behar DM, VILLEMS R, Semino O, Bandelt HJ, Torrioni A. Mitochondrial haplogroup U5b3: a distant echo of the Epipaleolithic in Italy and the legacy of the early Sardinians. *Am J Hum Genet* 84:814-821 (2009). IF: 12.303
- 139) Fornarino S, Pala M, Battaglia V, Maranta R, Achilli A, Modiano G, Torrioni A, Semino O, Santachiara-Benerecetti AS. Mitochondrial and Y-chromosome diversity of the Tharus (Nepal): a reservoir of genetic variation. *BMC Evol Biol* 9:154 (2009). IF: 4.294
- 140) Ghelli A, Porcelli AM, Zanna C, Vidoni S, Mattioli S, Barbieri A, Iommarini L, Pala M, Achilli A, Torrioni A, Rugolo M, Carelli V. The background of mitochondrial DNA haplogroup J increases the sensitivity of Leber's hereditary optic neuropathy cells to 2,5-hexanedione toxicity. *PLoS One* 4: e7922 (2009). IF: 4.351
- 141) Dugoujon J-M, Coudray C, Torrioni A, Cruciani F, Scozzari R, Moral P, Louali N, Kossmann M. The Berber and the Berbers – genetic and linguistic diversities in "Becoming eloquent: advances in the emergence of language, human cognition and modern cultures", Edited by F. d'Errico and J.M. Hombert. John Benjamins Publishing Co., Amsterdam, The Netherlands (2009). IF: n. a.
- 142) Soares P, Achilli A, Semino O, Davies W, Macaulay V, Bandelt HJ, Torrioni A, Richards MB. The archaeogenetics of Europe. *Curr Biol* 20: R174-R183 (2010). IF: 10.026
- 143) Perego UA, Angerhofer N, Pala M, Olivieri A, Lancioni H, Hooshiar Kashani B, Carossa V, Ekins JE, Gómez-Carballa A, Huber G, Zimmermann B, Corach D, Babudri N, Panara F, Myres NM, Parson W, Semino O, Salas A, Woodward SR, Achilli A, Torrioni A. The initial peopling of the Americas: a growing number of founding mitochondrial genomes from Beringia. *Genome Res* 20:1174-1179 (2010). IF: 13.588
- 144) Santoro A, Balbi V, Balducci E, Pirazzini C, Rosini F, Tavano F, Achilli A, Siviero P, Minicuci N, Bellavista E, Mishto M, Salvioli S, Marchegiani F, Cardelli M, Olivieri F, Nacmias B, Chiamenti AM, Benussi L, Ghidoni R, Rose G, Gabelli C, Binetti G, Sorbi S, Crepaldi G, Passarino G, Torrioni A, Franceschi C. Evidence for sub-haplogroup H5 of mitochondrial DNA as a risk factor for late onset Alzheimer's disease. *PLoS One* 5: e12037 (2010). IF: 4.411
- 145) Ottoni C, Primativo G, Hooshiar Kashani B, Achilli A, Martínez-Labarga C, Biondi G, Torrioni A, Rickards O. Mitochondrial haplogroup H1 in North Africa: an early Holocene arrival from Iberia. *PLoS One* 5:e13378 (2010). IF: 4.411
- 146) Bonfiglio S, Achilli A, Olivieri A, Negrini R, Colli L, Liotta L, Ajmone-Marsan P, Torrioni A, Ferretti L. The enigmatic origin of bovine mtDNA haplogroup R: sporadic interbreeding or an independent event of *Bos primigenius* domestication in Italy? *PLoS One* 5:e15760 (2010). IF: 4.411
- 147) Sanna D, Pala M, Cossu P, Dedola GL, Melis S, Fresu G, Morelli L, Obinu D, Tonolo G, Secchi G, Triunfo R, Lorenz JG, Scheinfeldt L, Torrioni A, Robledo R, Francalacci P. Mendelian breeding units versus standard sampling strategies: Mitochondrial DNA variation in southwestern Sardinia. *Genet Mol Biol* 34:187-194 (2011). IF: 0.634
- 148) Achilli A, Olivieri A, Pala M, Hooshiar Kashani B, Carossa V, Perego UA, Gandini F, Santoro A, Battaglia V, Grugni V, Lancioni H, Sirolla C, Bonfigli AR, Cormio A, Boemi M, Testa I, Semino O, Ceriello A, Spazzafumo L, Gadaleta MN, Marra M, Testa R, Franceschi C, Torrioni A. Mitochondrial DNA backgrounds might modulate diabetes complications rather than T2DM as a whole. *PLoS One* 6:e21029 (2011). IF: 4.092

- 149) Al-Zahery N, Pala M, Battaglia V, Grugni V, Hamod MA, Hooshiar Kashani B, Olivieri A, [Torrioni A](#), Santachiara-Benerecetti AS, Semino O. In search of the genetic footprints of Sumerians: a survey of Y-chromosome and mtDNA variation in the Marsh Arabs of Iraq. *BMC Evol Biol* 11:288 (2011). IF: 3.521
- 150) Hooshiar Kashani B, Perego UA, Olivieri A, Angerhofer N, Gandini F, Carossa V, Lancioni H, Semino O, Woodward SR, Achilli A, [Torrioni A](#). Mitochondrial haplogroup C4c: a rare lineage entering America through the ice-free corridor? *Am J Phys Anthropol* 147:35-39 (2012). IF: 2.481
- 151) Karachanak S, Carossa V, Nesheva D, Olivieri A, Pala M, Hooshiar Kashani B, Grugni V, Battaglia V, Achilli A, Yordanov Y, Galabov AS, Semino O, Toncheva D, [Torrioni A](#). Bulgarians vs the other European populations: a mitochondrial DNA perspective. *Int J Leg Med* 126:497-503 (2012). IF: 2.686
- 152) Achilli A, Olivieri A, Soares P, Lancioni H, Hooshiar Kashani B, Perego UA, Nergadze SG, Carossa V, Santagostino M, Capomaccio S, Felicetti M, Al-Achkar W, Penedo MC, Verini-Supplizi A, Houshmand M, Woodward SR, Semino O, Silvestrelli M, Giulotto E, L. Pereira, Bandelt H-J, [Torrioni A](#). Mitochondrial genomes from modern horses reveal the major haplogroups that underwent domestication. *Proc Natl Acad Sci USA* 109:2449-2454 (2012). IF: 9.737
- 153) Bodner M, Perego UA, Huber G, Fendt L, Röck AW, Zimmermann B, Olivieri A, Gómez-Carballa A, Lancioni H, Angerhofer N, Bobillo MC, Corach D, Woodward SR, Salas A, Achilli A, [Torrioni A](#), Bandelt JH, Parson W. Rapid coastal spread of First Americans: novel insights from South America's Southern Cone mitochondrial genomes. *Genome Res* 22: 811-820 (2012). IF: 14.397
- 154) Gómez-Carballa A, Olivieri A, Behar DM, Achilli A, [Torrioni A](#), Salas A. Genetic continuity in the Franco-Cantabrian region: new clues from autochthonous mitogenomes. *PLoS One* 7:e32851 (2012). IF: 3.730
- 155) Achilli A, Iommarini L, Olivieri A, Pala M, Hooshiar Kashani B, Reynier P, La Morgia C, Valentino ML, Liguori R, Pizza F, Barboni P, Sadun F, De Negri AM, Zeviani M, Dollfus H, Moulignier A, Ducos G, Orssaud C, Bonneau D, Procaccio P, Leo-Kottler B, Fauser S, Wissinger B, Amati-Bonneau P, [Torrioni A](#), Carelli V. Rare primary mtDNA mutations and probable synergistic variants in Leber's Hereditary Optic Neuropathy. *PLoS One* 7:e42242 (2012). IF: 3.730
- 156) Cerezo M, Achilli A, Olivieri A, Perego UA, Gómez-Carballa A, Brisighelli F, Lancioni H, Woodward SR, López-Soto M, Carracedo A, Capelli C, [Torrioni A](#), Salas A. Reconstructing ancient mitochondrial DNA links between Africa and Europe. *Genome Res* 22:821-826 (2012). IF: 14.397
- 157) Behar DM, van Oven M, Rosset S, Metspalu M, Loogväli E-L, Silva NM, Kivisild T, [Torrioni A](#), Villems R. A "Copernican" reassessment of the human mitochondrial DNA tree from its root. *Am J Hum Genet* 90:675-684 (2012). IF: 11.202
- 158) Pala M, Olivieri A, Achilli A, Accetturo M, Metspalu E, Reidla M, Tamm E, Karmin M, Reisberg T, Hooshiar Kashani B, Perego UA, Carossa V, Gandini F, Pereira JB, Soares P, Angerhofer N, Rychkov S, Al-Zahery N, Carelli V, Sanati MH, Houshmand M, Hatina J, Macaulay V, Pereira L, Woodward SR, Davies W, Gamble C, Baird D, Semino O, Villems R, [Torrioni A](#), Richards MB. Mitochondrial DNA signals of Late Glacial recolonisation of Europe from Near Eastern refugia. *Am J Hum Genet* 90:915-924 (2012). IF: 11.202
- 159) Bonfiglio S, Ginja C, De Gaetano A, Alessandro Achilli A, Olivieri A, Colli L, Tesfaye K, Agha SH, Gama LT, Cattonaro F, Penedo MCT, Ajmone-Marsan P, [Torrioni A](#), Ferretti L. Origin and spread of *Bos taurus*: new clues from mitochondrial genomes belonging to haplogroup T1. *PLoS One* 7:e38601 (2012). IF: 3.730
- 160) Grugni V, Battaglia V, Hooshiar Kashani B, Parolo S, Al-Zahery N, Achilli A, Olivieri A, Gandini F, Houshmand M, Hossein Sanati M, [Torrioni A](#), Semino O. Ancient migratory events in the Middle East: new clues from the Y-chromosome variation of modern Iranians. *PLoS One* 7: e41252 (2012). IF: 3.730
- 161) de Saint Pierre M, Gandini F, Perego UA, Bodner M, Gómez-Carballa A, Corach D, Angerhofer N, Woodward SR, Semino O, Salas A, Parson W, Moraga M, Achilli A, [Torrioni A](#), Olivieri A. Arrival of Paleo-Indians to the Southern Cone of South America: new clues from mitogenomes. *PLoS One* 7: e51311 (2012). IF: 3.730
- 162) Caporali L, Ghelli AM, Iommarini L, Maresca A, Valentino ML, La Morgia C, Liguori R, Zanna C, Barboni P, De Nardo V, Martinuzzi A, Rizzo G, Tonon C, Lodi R, Calvaruso MA, Cappelletti M, Porcelli AM, Achilli A, Pala M, [Torrioni](#)

- A, Carelli V. Cybrid studies establish the causal link between the mtDNA m.3890G>A/MT-ND1 mutation and optic atrophy with bilateral brainstem lesions. *Biochim Biophys Acta (Molecular Basis of Disease)* 1832:445-452 (2013). IF: 5.089
- 163) Colonna V, Pistis G, Bomba L, Mona S, Matullo G, Boano R, Sala C, Vigano F, Torrioni A, Achilli A, Hooshier Kashani B, Malerba G, Soranzo N, Toniolo D. Small effective population size and genetic homogeneity in the Val Borbera isolate. *Eur J Hum Genet* 21:89-94 (2013). IF: 4.225
- 164) Karachanak S, Grugni V, Fornarino S, Nesheva D, Al-Zahery N, Battaglia V, Carossa V, Yordanov Y, Torrioni A, Galabov AS, Toncheva D, Semino O. Y-chromosome diversity in modern Bulgarians: new clues about their ancestry. *PLoS One* 8:e56779 (2013). IF: 3.534
- 165) Kushniarevich A, Sivitskaya L, Danilenko N, Novogrodskii T, Tsybovsky I, Kiseleva A, Kotova S, Chaubey G, Metspalu E, Sahakyan H, Bahmanimehr A, Reidla M, Rootsi S, Parik J, Reisberg T, Achilli A, Hooshier Kashani B, Gandini F, Olivieri A, Behar DM, Torrioni A, Davydenko O, Villems R. Uniparental genetic heritage of Belarusians: encounter of rare Middle Eastern matrilineages with a central European mitochondrial DNA pool. *PLoS One* 8:e66499 (2013). IF: 3.534
- 166) Fedorova SA, Reidla M, Metspalu E, Metspalu M, Rootsi S, Tambets K, Trofimova N, Zhadanov SI, Hooshier Kashani B, Olivieri A, Voevoda MI, Osipova LP, Platonov FA, Tomsy MI, Khusnutdinova EK, Torrioni A, Villems R. Autosomal and uniparental portraits of the native populations of Sakha (Yakutia): implications for the peopling of Northeast Eurasia. *BMC Evol Biol* 13:127 (2013). IF: 3.407
- 167) Olivieri A, Pala M, Gandini F, Hooshier Kashani B, Perego UA, Woodward SR, Grugni V, Battaglia V, Semino O, Achilli A, Richards MB, Torrioni A. Mitogenomes from two uncommon haplogroups mark Late Glacial/postglacial expansions from the Near East and Neolithic dispersals within Europe. *PLoS One* 8:70492 (2013). IF: 3.534
- 168) Battaglia V, Grugni V, Perego UA, Angerhofer N, Gomez-Palmieri EJ, Woodward SR, Achilli A, Myres N, Torrioni A, Semino O. The first peopling of South America: new evidences from Y-chromosome haplogroup Q. *PLoS One* 8:e71390 (2013). IF: 3.534
- 169) Achilli A, Perego UA, Lancioni H, Olivieri A, Gandini F, Hooshier Kashani B, Battaglia V, Grugni V, Angerhofer N, Rogers MP, Herrera RJ, Woodward SR, Labuda D, Smith DG, Cybulski JS, Semino O, Malhi RS, Torrioni A. Reconciling migration models to the Americas with the variation of North American native mitogenomes. *Proc Natl Acad Sci USA* 110:14308-14313 (2013). IF: 9.809
- 170) Behar DM, Metspalu M, Baran Y, Kopelman NM, Yunusbayev B, Gladstein A, Tzur S, Sahakyan H, Bahmanimehr A, Yepiskoposyan L, Tambets K, Khusnutdinova EK, Kushniarevich A, Balanovsky O, Balanovsky E, Kovacevic L, Marjanovic D, Mihailov E, Kouvatsi A, Triantaphyllidis C, King RJ, Semino O, Torrioni A, Hammer MF, Metspalu E, Skorecki K, Rosset S, Halperin E, Villems R, Rosenberg NA. No evidence from genome-wide data of a Khazar origin for the Ashkenazi Jews. *Hum Biol* 85:859-900 (2013). IF: 1.288
- 171) La Morgia C, Caporali L, Gandini G, Olivieri A, Toni F, Nasseti S, Brunetto D, Stipa C, Scaduto C, Parmeggiani A, Tonon C, Lodi R, Torrioni A, Carelli V. Association of the mtDNA m.4171C>A/MT-ND1 mutation with both optic neuropathy and bilateral brainstem lesions. *BMC Neurology* 14:116 (2014). IF: 2.040
- 172) Carossa V, Ghelli A, Tropeano CV, Valentino ML, Iommarini L, Maresca A, Caporali L, Morgia CL, Liguori R, Barboni P, Carbonelli M, Rizzo G, Tonon C, Lodi R, Martinuzzi A, Nardo VD, Rugolo M, Ferretti L, Gandini F, Pala M, Achilli A, Olivieri A, Torrioni A, Carelli V. A novel in-frame 18-bp microdeletion in *MT-CYB* causes a multisystem disorder with prominent exercise intolerance. *Hum Mutat* 35:954-958 (2014). IF: 5.340
- 173) Vai S, Ghirotto S, Pilli E, Tassi F, Lari M, Rizzi E, Lalueza-Fox C, Matas-Lalueza L, Ramirez O, Lalueza-Fox C, Achilli A, Olivieri A, Torrioni A, Lancioni H, Giostra C, Bedini E, Pejrani Baricco L, Matullo G, Di Gaetano C, Piazza A, Veeramah K, Geary P, Caramelli D, Barbujani G. Genealogical relationships between early medieval and modern inhabitants of Piedmont. *PLoS One* 10:e0116801 (2015). IF: 3.057
- 174) Gomes SM, Bodner M, Souto L, Zimmermann B, Huber G, Strobl C, Röck AW, Achilli A, Olivieri A, Torrioni A, Côté-Real F, Parson W. Human settlement history between Sunda and Sahul: a focus on East Timor (Timor-Leste) and the Pleistocene mtDNA diversity. *BMC Genomics* 16:70 (2015). IF: 3.867

- 175) Barcaccia G, Galla G, Achilli A, Olivieri A, [Torrioni A](#). Uncovering the sources of DNA found on the Turin Shroud. *Sci Rep* 5:14484 (2015). IF: 5.228
- 176) Olivieri A, Gandini F, Achilli A, Fichera A, Rizzi E, Bonfiglio S, Battaglia V, Brandini S, De Gaetano A, El-Beltagi A, Lancioni H, Agha S, Semino O, Ferretti L, [Torrioni A](#). Mitogenomes from Egyptian cattle breeds: new clues on the origin of haplogroup Q and the early spread of *Bos taurus* from the Near East. *PLoS One* 10:e0141170 (2015). IF: 3.057
- 177) Grugni V, Battaglia V, Perego UA, Raveane A, Lancioni H, Olivieri A, Ferretti L, Woodward SR, Pascale JM, Cooke R, Myres N, Motta J, [Torrioni A](#), Achilli A, Semino O. Exploring the Y chromosomal ancestry of modern Panamanians. *PLoS One* 10(12):e0144223 (2015). IF: 3.057
- 178) Richards MB, Soares P, [Torrioni A](#). Palaeogenomics: mitogenomes and migrations in Europe's past. *Curr Biol* 26:R243-246 (2016). IF: 8.983 (in 2015)
- 179) Gandini F, Achilli A, Pala M, Bodner M, Brandini S, Huber G, Egyed B, Ferretti L, Gómez-Carballa A, Salas A, Scozzari R, Cruciani F, Coppa A, Parson W, Semino O, Soares P, [Torrioni A](#), Richards MB, Olivieri A. Mapping human dispersals into the Horn of Africa from Arabian ice age refugia using mitogenomes. *Sci Rep* 6:25472 (2016). IF: 5.228 (in 2015)
- 180) Lazaridis I, Nadel D, Rollefson G, Merrett DC, Rohland N, Mallick S, Fernandes D, Novak M, Gamarra B, Sirak K, Connell S, Stewardson K, Harney E, Fu Q, Gonzalez-Fortes G, Jones ER, Roodenberg SA, Lengyel G, Bocquentin F, Gasparian B, Monge JM, Gregg M, Eshed V, Mizrahi AS, Meiklejohn C, Gerritsen F, Bejenaru L, Blüher M, Campbell A, Cavalleri G, Comas D, Froguel P, Gilbert E, Kerr SM, Kovacs P, Krause J, McGettigan D, Merrigan M, Merriwether DA, O'Reilly S, Richards MB, Semino O, Shamoony-Pour M, Stefanescu G, Stumvoll M, Tönjes A, [Torrioni A](#), Wilson JF, Yengo L, Hovhannisyan NA, Patterson N, Pinhasi R, Reich D. Genomic insights into the origin of farming in the ancient Near East. *Nature* 536:419-424 (2016). IF: 38.138 (in 2015)
- 181) Battaglia V, Gabrieli P, Brandini S, Capodiferro MR, Javier PA, Chen XG, Achilli A, Semino O, Gomulski LM, Malacrida AR, Gasperi G, [Torrioni A](#), Olivieri A. The worldwide spread of the tiger mosquito as revealed by mitogenome haplogroup diversity. *Front Genet.* 7:208 (2016). IF: n.a.
- 182) Olivieri A, Sidore C, Achilli A, Angius A, Posth C, Furtwängler A, Brandini S, Rosario Capodiferro M, Gandini F, Zoledziewska M, Pitzalis M, Maschio A, Busonero F, Lai L, Skeates R, Giuseppina Gradoli M, Beckett J, Marongiu M, Mazzarello V, Marongiu P, Rubino S, Rito T, Macaulay V, Semino O, Pala M, Abecasis GR, Schlessinger D, Conde-Sousa E, Soares P, Richards MB, Cucca F, [Torrioni A](#). Mitogenome diversity in Sardinians: a genetic window onto an island's past. *Mol Biol Evol.* 34:1230-1239 (2017). IF: 13.649 (in 2015)
- 183) Pereira JB, Costa MD, Vieira D, Pala M, Bamford L, Harich N, Cherni L, Alshamali F, Hatina J, Rychkov S, Stefanescu G, King T, [Torrioni A](#), Soares P, Pereira L, Richards MB. Reconciling evidence from ancient and contemporary genomes: a major source for the European Neolithic within Mediterranean Europe. *Proc Biol Sci.* 284(1851) (2017) IF: 4.823 (in 2015)
- 184) Sahakyan H, Hooshiar Kashani B, Tamang R, Kushniarevich A, Francis A, Costa MD, Pathak AK, Khachatryan Z, Sharma I, van Oven M, Parik J, Hovhannisyan H, Metspalu E, Pennarun E, Karmin M, Tamm E, Tambets K, Bahmanimehr A, Reisberg T, Reidla M, Achilli A, Olivieri A, Gandini F, Perego UA, Al-Zahery N, Houshmand M, Sanati MH, Soares P, Rai E, Šarac J, Šarić T, Sharma V, Pereira L, Fernandes V, Černý V, Farjadian S, Singh DP, Azakli H, Üstek D, Ekomasova Trofimova N, Kutuev I, Litvinov S, Bermisheva M, Khusnutdinova EK, Rai N, Singh M, Singh VK, Reddy AG, Tolk HV, Cvjetan S, Lauc LB, Rudan P, Michalodimitrakis EN, Anagnou NP, Pappa KI, Golubenko MV, Orekhov V, Borinskaya SA, Kaldma K, Schauer MA, Simionescu M, Gusar V, Grechanina E, Govindaraj P, Voevoda M, Damba L, Sharma S, Singh L, Semino O, Behar DM, Yepiskoposyan L, Richards MB, Metspalu M, Kivisild T, Thangaraj K, Endicott P, Chaubey G, [Torrioni A](#), VILLEMS R. Origin and spread of human mitochondrial DNA haplogroup U7. *Sci Rep.* 7:46044 (2017) IF: 5.228 (in 2015)
- 185) Santangelo R, González-Andrade F, Børsting C, [Torrioni A](#), Pereira V, Morling N. Analysis of Ancestry Informative Markers in three main ethnic groups from Ecuador supports a trihybrid origin of Ecuadorians. *Forensic Sci Int Genet.* 31:29-33 (2017).
- 186) Pignataro D, Francia S, Zanetta F, Brenna G, Brandini S, Olivieri A, [Torrioni A](#), Biamonti G, Montecucco A. A missense MT-ND5 mutation in differentiated Parkinson Disease cytoplasmic hybrid induces ROS-dependent DNA Damage Response amplified by DROSHA. *Sci Rep.* 7:9528 (2017).

- 187) Brandini S, Bergamaschi P, Cerna MF, Gandini F, Bastaroli F, Bertolini E, Cereda C, Ferretti L, Gómez-Carballa A, Battaglia V, Salas A, Semino O, Achilli A, Olivieri A, Torrioni A. The Paleo-Indian entry into South America according to mitogenomes. *Mol Biol Evol.* 35:299-311 (2018).
- 188) Grugni V, Raveane A, Mattioli F, Battaglia V, Sala C, Toniolo D, Ferretti L, Gardella R, Achilli A, Olivieri A, Torrioni A, Passarino G, Semino O. Reconstructing the genetic history of Italians: New insights from a male (Y-chromosome) perspective. *Ann Hum Biol.* 45:44-56 (2018).
- 189) Caporali L, Iommarini L, La Morgia C, Olivieri A, Achilli A, Maresca A, Valentino ML, Capristo M, Tagliavini F, Del Dotto V, Zanna C, Liguori R, Barboni P, Carbonelli M, Cocetta V, Montopoli M, Martinuzzi A, Cenacchi G, De Michele G, Testa F, Nesti A, Simonelli F, Porcelli AM, Torrioni A, Carelli V. Peculiar combinations of individually non-pathogenic missense mitochondrial DNA variants cause low penetrance Leber's hereditary optic neuropathy. *PLoS Genet.* 14:e1007210 (2018).
- 190) Strobbe D, Caporali L, Iommarini L, Maresca A, Montopoli M, Martinuzzi A, Achilli A, Olivieri A, Torrioni A, Carelli V, Ghelli A. Haplogroup J mitogenomes are the most sensitive to the pesticide rotenone: Relevance for human diseases. *Neurobiol Dis.* 14:129-139 (2018).
- 191) Gómez-Carballa A, Pardo-Seco J, Brandini S, Achilli A, Perego UA, Coble MD, Diegoli TM, Álvarez-Iglesias V, Martínón-Torres F, Olivieri A, Torrioni A, Salas A. The peopling of South America and the trans-Andean gene flow of the first settlers. *Genome Res.* 28:767-779 (2018).
- 192) Achilli A, Olivieri A, Semino O, Torrioni A. Ancient human genomes-keys to understanding our past. *Science.* 360:964-965 (2018).

Gennaio/January 14, 2019